

HOSE REELS



HYDROTEK HOSE REELS REPLACEMENT PARTS

PART#	DESCRIPTION	WT
DR053	Swivel, 3/8"F x 3/8"F, 250°F, Fits AR100 & AR110	.24
DR058	Swivel, 3/8"F x 3/8"F, 400°F, Fits AR150, AR151, AR188 & AR425. 90	
DR059	Repair Kit, Fits DR058	.40
DR050	Swivel, High Flow, Straight Brass 1/2"M x 1/2"F, Fits AR152	.26
DE866	Swivel 90° Elbow, Swivel Fitting, 3/8"F x 3/8"M	.3
FP150	Pop-Pin Latch, Fits AR110, AR151 & AR152	.23
HL009	Knob/Handle, Fits All Hydro Tek Models	.1
HL050*	Delrin Bearing, Fits All Hydro Tek Reel Models	.01

*NOTE: 2 Required Per Reel & Receiver



HYDRO TEK

Nilfisk HPW



Pressure-Pro

(504) 888-8989 or Toll Free 800-992-7448

HOSE REELS



D30002



V30006



DHR50150D

GP & VIPER HOSE REELS

PART #	DESCRIPTION	CAPACITY	PSI	TEMP	INLET	OUTLET	WT
V30001	Hose Reel	3/8" x 50'	4000	210° F	3/8"NPT-M	3/8"NPT-F	9.3
D30001	Hose Reel	3/8" x 50'	3500	185° F	3/8"NPT-F	3/8"NPT-F	9.5
D30002	Hose Reel	3/8" x 100'	3500	185° F	3/8"NPT-F	3/8"NPT-F	11.7
D30004	Hose Reel	3/8" x 150'	3500	185° F	3/8"NPT-M	3/8"NPT-F	16.5
V30006	Hose Reel	3/8" x 200'	4000	210° F	3/8"NPT-M	3/8"NPT-F	17.1
D30006	Hose Reel	3/8" x 200'	3500	185° F	3/8"NPT-M	3/8"NPT-F	17.25

Industrial Grade Hose Reels

DHR50100D	Hose Reel, Industrial	3/8" x 100'	5000	225° F	3/8"NPT-M	3/8"NPT-F	15
DHR50150D	Hose Reel, Industrial	3/8" x 150'	5000	225° F	3/8"NPT-M	3/8"NPT-F	19

GP HOSE REEL REPLACEMENT PARTS

PART #	DESCRIPTION	WT
2103240*	Swivel, D30004 & D30006	.50
2103241*	Swivel, D30001 & D30002	.50
100888	Swivel Repair Kit, 100053 & 100887	.13
2103051	Swivel, All DHR Models	.95
2100278	Swivel Repair Kit, 2103051	.13
100055	Handle Kit w/Hardware, D30001, D30002, D30004, & D30006	.30
100056	Handle Kit w/Hardware, All DHR Models	.30
D30003	Replacement Inlet Hose for D30004, D30006	2.8

*TEMP: 185° F / INLET: 3/8"NPT-M / OUTLET: 3/8"NPT-F



100053



2103051



100888

DON'T SEE THE EXACT HOSE REEL THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448

HOSE REELS



M5-5



M10-5

HOSETRACT HOSE REELS


HOSETRACT HOSE REELS

PART #	CAPACITY	WT
M5-5-14*	3/8" x 75'	17.35
M5-5	3/8" x 100'	30.5
M10-5	3/8" x 250'	35
M15-5	3/8" x 350'	40.65

NOTE: PSI: 4000 / TEMP: 200°F / INLET/OUTLET: 1/2" FPT
DESCRIPTION: HoseReel *Mini



15962



3419-A

HOSETRACT REELS REPLACEMENT PARTS

PART #	DESCRIPTION	WT
12052	45 Degree Swivel Elbow	.35
15962	Pin Lock	.25
3419-A	Handle	.90

COLORED PARTS NUMBERS & EMBLEM KEY

Green Part Numbers = Most Popular Items and In Stock at Both Locations = **Get It Fast!**

Red Part Numbers = East Coast Popular Items In Stock = **Ships From Pressure-Pro®**

Black Part Numbers = Non-Stock/Special Order Items and May Incur Drop Ship Fees

Blue Part Numbers = Quantity Discounts Available = **BUY MORE & PAY LESS!**

HTCP = Hydro Tek Certified Parts In Stock West Coast = Ships from Hydro Tek




= New Items, Check It Out!

**DON'T SEE THE EXACT HOSE REEL THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448**

HOSE REELS



SM12



SME22 & SM210
Shown with Optional Chain Guard




SM12-AL


SUMMIT HOSE REELS

PART #	DESCRIPTION	CAPACITY	PSI	TEMP	INLET	OUTLET	WT
MR12	Hose Reel, Mini	3/8" x 125'	4000	250° F	1/2" FPT	3/8" FPT	25
SM12	Hose Reel	3/8" x 300'	4000	250° F	1/2" FPT	1/2" FPT	38
SM18	Hose Reel	3/8" x 450'	4000	250° F	1/2" FPT	1/2" FPT	42
SM22	Hose Reel	3/8" x 550'	4000	250° F	1/2" FPT	1/2" FPT	46
SME12	Hose Reel, 12VDC Electric	3/8" x 300'	4000	250° F	1/2" FPT	1/2" FPT	70
SME18	Hose Reel, 12VDC Electric	3/8" x 450'	4000	250° F	1/2" FPT	1/2" FPT	75
SME22	Hose Reel, 12VDC Electric	3/8" x 550'	4000	250° F	1/2" FPT	1/2" FPT	80
SM12-AL	Hose Reel, Aluminum	3/8" x 300'	4000	250° F	1/2" FPT	1/2" FPT	24
SM18-AL	Hose Reel, Aluminum	3/8" x 450'	4000	250° F	1/2" FPT	1/2" FPT	27
SM12-AL/SS*	Hose Reel	3/8" x 300'	4000	250° F	1/2" FPT	1/2" FPT	24
SM18-AL/SS*	Hose Reel	3/8" x 450'	4000	250° F	1/2" FPT	1/2" FPT	27

*Aluminum w/Stainless Steel Plumbing



SM102



SM140-12B



SM111



SM129

SUMMIT HOSE REEL REPLACEMENT PARTS

PART #	DESCRIPTION	WT
SM102	Pin-Lock Assy	.35
SM104	Swivel, SM12 & SM18	.90
SM124	SM104 Repair Kit	.02
SM111	Handle	.20
SM127	Repair Kit, Old Style Brass Swivel	.15
SM130-BLACK	Stack Kit	10.85
SM140-12B	Hose Guide, 12" Black	14.45
SM188	Swivel, Stainless Steel	.85
SM129	SM188 Swivel Rebuild Kit	.02
SM210	Chain Guard for SME Electric Reels	1.0

DON'T SEE THE EXACT HOSE REEL THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448

HOSE REELS / SWIVELS



1516-17-18RTH10M

Hannay Reels®
The reel leader.

HANNAY INDUSTRIAL REEL

PART #	DESCRIPTION	WT
1516-17-18RTH10M*	Hose Reel, Industrial	40.5
9927.8171**	Swivel	.90
9936.0387	Swivel Seal Kit	.40

*PSI: 10,000 / TEMP: 250°F / CAPACITY: 3/8" x 175' / INLET / OUTLET: 1/2" FPT

**PSI: 10,000 / TEMP: 250°F / INLET / OUTLET: 1/2" FPT

HOSE REEL REPLACEMENT PARTS

PART #	DESCRIPTION	WT
7475*	Swivel, Brass, 1/2"F x 1/2"F	.85
7475K	Repair Kit fits 7475	.40
7475S**	Swivel, SS, 1/2"F x 1/2"F	.65
7476S**	Swivel, SS, 1/2"F x 3/8"F	.70
7475S-KIT	Repair Kit fits 7475S & 7476S	.40
8620A***	Super Swivel, 1/2"F x 1/2"F	.90

*TEMP: 300°F / PSI: 3000 — **TEMP: 300°F / PSI: 5000

***TEMP: 400°F / PSI: 5000 — NOTE: SS=Stainless Steel



7475



7475K



8620A



7475S



7080



7044



32.564

INLINE SWIVELS

PART #	DESCRIPTION	WT
V7080***	Straight, Brass, 3/8"M x 3/8"F	.24
7080*	Straight, Brass, 3/8"M x 3/8"F	.24
V7044***	Straight, SS, 3/8"M x 3/8"F	.21
7044**	Straight, SS, 3/8"M x 3/8"F	.21
7045*	Straight, Brass, 3/8"F x 3/8"F	.22
7084	Repair Kit, (7044, 7045, 7080)	.01
7440K	Repair Kit, (7030, 7035)	.02
32.564***	Straight, SS, 3/8"M x 3/8"F	.40

*TEMP: 200°F / PSI: 3000 — **TEMP: 200°F / PSI: 5000

***TEMP: 250°F / PSI: 4000 — NOTE: SS=Stainless Steel


PORTABLE HOSE REEL CARTS

PART #	DESCRIPTION	WT
PHR010*	Portable Hose Reel Cart w/M10-5Reel	55.45
PHR010-K	Portable Hose Reel Cart Kit, Less Reel	20.45
PHR015**	Portable Hose Reel Cart w/M15-5Reel	63.25
PHR015-K	Portable Hose Reel Cart Kit, Less Reel	22.6

*TEMP: 200°F / CAPACITY: 3/8" x 250' / INLET: 3/8" QCS / OUTLET: 3/8" QCP

**TEMP: 200°F / CAPACITY: 3/8" x 350' / INLET: 3/8" QCS / OUTLET: 3/8" QCP

NOTE: QCS=Quick Connect Socket, QCP=Quick Connect Plug



PHR015

HOSE ASSEMBLIES

**READY TO
WORK!**



989400014



AHS280

QUALITY HIGH PRESSURE WASHER HOSE ASSEMBLIES WITH QUICK CONNECTS

PART #	DESCRIPTION	LGTH	TEMP	WT
Prosumer Grade Hose For Pro Power Series Models				
989400014	3/8" 1-Wire Hose, 22MM-FQC's on both ends	25'	250° F	5.05
AHS120-HCMP	3/8" 1-Wire Hose, 22MM-FQC x 3/8" QC Plug	25'	250° F	4.9
AHS230-22MM FXF	3/8" 1-Wire Hose, 22MM-FQC's on both ends	50'	250° F	8.95

PSI: 4000 / COLOR: Black



AHS230

ARMOR-FLEX®



AHS330-SSQC



AHS380



AHS835

COMMERCIAL GRADE HOSE ASSEMBLIES

PART #	TYPE	LGTH	PSI	COLOR	WT
AHS230	1-Wire	50'	4200	Black	9.35
AHS235	1-Wire	100'	4200	Black	17.8
AHS240	1-Wire	150'	4200	Black	26.25
AHS245	1-Wire	200'	4200	Black	34.7
AHS280	1-Wire	50'	4200	Gray	8.75
AHS285	1-Wire	100'	4200	Gray	17.6
AHS290	1-Wire	150'	4200	Gray	26.45
AHS295	1-Wire	200'	4200	Gray	35.30
AHS330	2-Wire	50'	6000	Black	13.95
AHS330-SSQC*	2-Wire	50'	6000	Black	14
AHS330-6K**	2-Wire	50'	6000	Black	14.5
AHS335	2-Wire	100'	6000	Black	28
AHS335-SSQC*	2-Wire	100'	6000	Black	28.05
AHS335-6K**	2-Wire	100'	6000	Black	29
AHS340	2-Wire	150'	6000	Black	42
AHS340/SSQC*	2-Wire	150'	6000	Black	42.05
AHS345PRO	2-Wire	200'	6000	Black	56
AHS380	2-Wire	50'	6000	Gray	14.2
AHS380-SSQC*	2-Wire	50'	6000	Gray	14.25
AHS385	2-Wire	100'	6000	Gray	27.9
AHS385-SSQC*	2-Wire	100'	6000	Gray	27.95
AHS390	2-Wire	150'	6000	Gray	41.6
AHS395	2-Wire	200'	6000	Gray	55.3
AHS830**†	2-Wire	50'	7400	Black	15.25
AHS835**†	2-Wire	100'	7400	Black	29.9

DESCRIPTION: 3/8" Diameter Hose, 3/8" MPT Solid x 3/8" MPT Swivel w/ QCs, Vinyl Bend Restrictors TEMP: 250° F

* Stainless Steel Quick Connects ** With 10,000 PSI Quick Connects

† 7400 PSI Hose has 3/8" MPT Solid x 3/8" MPT Solid w/ 10K QCs

HOSE ASSEMBLIES

**READY TO
WORK!**



HOS230

ARMOR-FLEX®



HOS285



HOS335



HOS830



HOS530/8MP

COMMERCIAL GRADE HOSE ASSEMBLIES

PART #	TYPE	LGTH	PSI	COLOR	WT
3/8" Diameter Commercial Grade Hoses					
HOS230	1-Wire	50'	4200	Black	9.15
HOS235	1-Wire	100'	4200	Black	17.35
HOS240	1-Wire	150'	4200	Black	25.55
HOS245	1-Wire	200'	4200	Black	33.75
HOS280	1-Wire	50'	4200	Gray	8.9
HOS285	1-Wire	100'	4200	Gray	17.35
HOS290	1-Wire	150'	4200	Gray	25.8
HOS295	1-Wire	200'	4200	Gray	34.1
HOS330	2-Wire	50'	6000	Black	14.05
HOS335	2-Wire	100'	6000	Black	27.95
HOS340	2-Wire	150'	6000	Black	41.25
HOS345PRO	2-Wire	200'	6000	Black	54.55
HOS380	2-Wire	50'	6000	Gray	14.4
HOS385	2-Wire	100'	6000	Gray	27.5
HOS390	2-Wire	150'	6000	Gray	40.6
HOS395	2-Wire	200'	6000	Gray	53.7
HOS830†	2-Wire	50'	7400	Black	15
HOS835†	2-Wire	100'	7400	Black	29.65
DESCRIPTION: 3/8"MPT Solid x 3/8"MPT Swivel TEMP: 250° F					
†7400 PSI Hose has 3/8"MPT Solid x 3/8"MPT Solid					
1/2" Diameter Commercial Grade Hoses					
HOS530/6MP	2-Wire	50'	4000	Black	20.95
HOS530/8MP*	2-Wire	50'	4000	Black	21.12
HOS535/6MP	2-Wire	100'	4000	Black	41.45
HOS535/8MP*	2-Wire	100'	4000	Black	41.62
HOS540/6MP	2-Wire	150'	4000	Black	61.95
HOS540/8MP*	2-Wire	150'	4000	Black	62.12
HOS545/6MP	2-Wire	200'	4000	Black	82.45
HOS545/8MP*	2-Wire	200'	4000	Black	82.62
DESCRIPTION: 3/8"MPT Solid x 3/8"MPT Swivel TEMP: 250° F					
* 1/2"MPT Solid x 1/2"MPT Swivel					



4657-2405



4657-2156

BULK PRESSURE WASHER HOSE -PER FOOT

PART #	INSIDE DIA	TYPE	PSI	COLOR
4657-2400	1/4"	1-Wire	3500	Black
4657-2410	1/4"	2-Wire	6000	Black
4657-2405	3/8"	1-Wire	4000	Black
4657-2156	3/8"	1-Wire	4000	Gray
4657-2406	3/8"	2-Wire	6000	Black
4657-2290	3/8"	2-Wire	6000	Gray
4657-2425	1/2"	2-Wire	4000	Black

**DON'T SEE THE EXACT HOSE ASSEMBLY THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448**

HOSE ASSEMBLIES

ARMOR-FLEX® PRO



AHS280-AFP



AHS275-AFP



HOS050-SC



HOS200-024



HOS300-024



HOS800-024



HOS500-032/8MP

Armor-Flex™ PRO Premium Grade Hose Assemblies

PART#	TYPE	LGTH	PSI	COLOR	WT
HOS270-AFP	1-Wire	50'	4000	Blue	12.2
HOS275-AFP	1-Wire	100'	4000	Blue	23.6
HOS280-AFP	1-Wire	50'	4000	Gray	12.2
HOS285-AFP	1-Wire	100'	4000	Gray	23.6
HOS330-AFP	2-Wire	50'	5500	Black	15.3
HOS335-AFP	2-Wire	100'	5500	Black	29.7
HOS380-AFP	2-Wire	50'	5500	Gray	15.3
HOS385-AFP	2-Wire	100'	5500	Gray	29.7
AHS270-AFP*	1-Wire	50'	4000	Blue	12.4
AHS275-AFP*	1-Wire	100'	4000	Blue	23.8
AHS280-AFP*	1-Wire	50'	4000	Gray	12.4
AHS285-AFP*	1-Wire	100'	4000	Gray	23.8
AHS330-AFP*	2-Wire	50'	5500	Black	15.5
AHS335-AFP*	2-Wire	100'	5500	Black	29.9
AHS380-AFP*	2-Wire	50'	5500	Gray	15.5
AHS385-AFP*	2-Wire	100'	5500	Gray	29.9

DESCRIPTION: 3/8" Diameter Hose 3/8" MPT Solid x 3/8" MPT Swivel
TEMP: -20°F to +250°F NOTE: NOT FOR STEAM SERVICE

*With Quick Connects. 75' & 200' Lengths Available - Call Factory

Whitewater Steam Combo Hose

PART#	TYPE	LGTH	PSI	COLOR	WT
HOS050-SC	1-Wire	50'	3000	Black	12.3
HOS100-SC	1-Wire	100'	3000	Black	23.3

DESCRIPTION: 3/8" Diameter Hose, 3/8" MPT Solid x 3/8" MPT Solid
TEMP: 250°F Max @ 3000 PSI / 325°F Max @ 350 PSI

JUMPER HOSE

PART #	TYPE	LGTH	PSI	WT
3/8" Diameter Quality High Pressure Hose				
HOS200-024	1-Wire	2'	4000	.80
HOS200-048	1-Wire	4'	4000	1.5
HOS200-072	1-Wire	6'	4000	2.15
HOS200-096	1-Wire	8'	4000	2.8
HOS300-024	2-Wire	2'	6000	.95
HOS300-048	2-Wire	4'	6000	1.6
HOS300-072	2-Wire	6'	6000	2.2
HOS300-096	2-Wire	8'	6000	2.8
HOS800-024†	2-Wire	2'	7400	1.0
HOS800-048†	2-Wire	4'	7400	1.7
HOS800-072†	2-Wire	6'	7400	2.3

DESCRIPTION: 3/8" MPT Solid x 3/8" MPT Swivel COLOR: Black

†7400 PSI Hose has 3/8" MPT Solid x 3/8" MPT Solid

1/2" Diameter Quality High Pressure Hose

HOS500-020/8MP	1-Wire	20'	4000	1.45
HOS500-036/8MP	1-Wire	3'	4000	1.95
HOS500-096/8MP	1-Wire	8'	4000	5.25
HOS500-180/8MP/8MPX	1-Wire	15'	4000	9.8

DESCRIPTION: 1/2" MPT Solid x 1/2" MPT Swivel / COLOR: Black
NOTE: Custom Lengths Available in R1, R2, Black or Gray