

JETTER ACCESSORIES / JETTER NOZZLES




SUTTNER

999 000 012



999 002 305



PFV004

FOOT ACTUATED VALVES

PART #	DESCRIPTION	PSI	GPM	TEMP	INLET	OUTLET	WT
999 000 012 200810400	Foot Actuated Valve 999 000 012, Repair Kit	3000	8	320° F	3/8" NPT-F	1/4" NPT-F	7.0
999 002 305 202 300 490	Foot Actuated Valve 999 002 305, Repair Kit	5000	12	300° F	3/8" NPT-F	1/4" NPT-F	14
PFV004 Y30541424	Foot Actuated Valve PFV004, Repair Kit	7250	21	210° F	1/2" NPT-F	1/2" NPT-F	8.6



YDRNT1



YDRNT2


GP JETTER NOZZLES

PART #	DESCRIPTION	PSI	ORIFICE SIZE	WT
YDRNT1	Microdrain, Brass	1750	3.5	.02
YDRNT2	Microdrain, SS	3650	4	.02

NOTE: SS =Stainless Steel / INLET: 1/4" BSP-M



CORNER



LASER



RAM



TCS45S1F



TLS45S1F



TCS45S2F



TLS45S2F



TRS45S2F

J.E. ADAMS JETTER NOZZLES

PART #	DESCRIPTION	PSI	ORIFICE SIZE	INLET	WT
TCS45S1F	Corner	4000	4.5	1/8"	.02
TLS45S1F	Laser	4000	4.5	1/8"	.02
TCS55S1F	Corner	4000	5.5	1/8"	.02
TLS55S1F	Laser	4000	5.5	1/8"	.02
TRS55S1F	Ram	4000	5.5	1/8"	.02
TCS45S2F	Corner	4000	4.5	1/4"	.04
TLS45S2F	Laser	4000	4.5	1/4"	.04
TRS45S2F	Ram	4000	4.5	1/4"	.04
TCS55S2F	Corner	4000	5.5	1/4"	.04
TLS55S2F	Laser	4000	5.5	1/4"	.04
TRS55S2F	Ram	4000	5.5	1/4"	.04


DON'T SEE THE EXACT JETTER ACCESSORY /JETTER NOZZLE THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448

JETTER NOZZLES

SUTTNER 



122 375 000




121 370 170



123 065 187



200 049 650



200 049 600



VSSDN050

SUTTNER JETTER NOZZLES

PART #	PORTS	PSI	ORIFICESIZE	INLET	WT
Fixed Nozzles					
122 375 000	0 Forward, 3 Back	4200	4.5	1/8"	.02
122 370 170	1 Forward, 3 Back	4200	5.5	1/8"	.02
121 370 170	1 Forward, 3 Back	4200	4.5	1/4"	.04
121 375 175	1 Forward, 4 Back	4200	5.5	1/4"	.04
121 470 170	1 Forward, 4 Back	4200	6	1/4"	.04
121 480 180	1 Forward, 3 Back	4200	7.5	1/4"	.04
121 395 195	1 Forward, 3 Back	4200	8	1/4"	.04
121 320 000	1 Forward, 3 Back	4200	12	1/4"	.08
123 065 188	1 Forward, 3 Back	4200	4	3/8"	.08
123 065 187	1 Forward, 4 Back	4200	5.5	3/8"	.08
123 065 189	1 Forward, 4 Back	4200	8.5	3/8"	.08
123 065 186	1 Forward, 4 Back	4200	12	3/8"	.08
123 065 185	1 Forward, 4 Back	4200	14	3/8"	.08
Rotating Nozzles					
200 049 650	0 Forward, 3 Back	4000	5.5	1/8"	.08
200 049 600	0 Forward, 3 Back	4000	5.5	1/4"	.08
200 049 700	0 Forward, 2 Side	4000	5.5	1/4"	.08
200 049 610	0 Forward, 3 Back	4000	8	1/4"	.08
200 049 951	0 Forward, 2 Back, 2 Side	7300	5	1/8"	.05
200 049 971	0 Forward, 2 Back, 2 Side	7300	7	1/8"	.05

VIPER JETTER NOZZLE

PART #	PORTS	PSI	ORIFICESIZE	INLET	WT
Rotating Nozzle					
VSSDN050	0 Forward, 3 Back	3200	5.0	1/4"	.08

NEED A JETTER VALVE FOR YOUR PUMP???

See page 49 for
Pump Jetter Valves



100315



AR40161

DON'T SEE THE EXACT JETTER NOZZLE THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448

JETTER NOZZLES



PENETRATOR



FLUSHER



CORNERING



Px REVOLVER



DE-ICER/DE-GREASER



IMPACTOR

AquaNOZ® JETTER NOZZLES

DESCRIPTION	INLET	WT	PRICE
PENETRATOR	1/4" FPT	.05	----
Dislodges blockage	3/8" FPT	.05	----
(1 Forward Jet, 3 Back Jets)	1/2" FPT	.15	----
FLUSHER	1/4" FPT	.05	----
Flushes loose debris	3/8" FPT	.05	----
(6 Back Jets)	1/2" FPT	.15	----
CORNERING	1/4" FPT	.05	----
Navigates around P-Traps and tight bends	3/8" FPT	.10	----
(1 Forward Jet, 1 Side Jet, 3 Back Jets)	1/2" FPT	.15	----
Px REVOLVER	1/4" FPT	.10	----
Polishes and maximizes line recovery	3/8" FPT	.25	----
(2 Side Jets, 2 Back Jets)	1/2" FPT	.55	----
DE-ICER/DE-GREASER	1/4" FPT	.10	----
Removal of heavily blocked lines with grease, hard soap or even ice	3/8" FPT	.15	----
(3 Forward Angle Jets, 6 Back Jets)	1/2" FPT	.25	----
IMPACTOR	1/4" FPT	.10	----
Moves sand, grit and light scale which may have accumulated within the line	3/8" FPT	.15	----
(1 Forward Jet, 3 Side Jets, 6 Back Jets)	1/2" FPT	.25	----

NOTE: Available from .125" up to 1.00" and will clean lines from 1" to 24" using only 1.7 GPM to 80 GPM with pressures ranging from 1200 PSI to 15,000 PSI.

Simply Call With Your GPM & PSI & We Will Have The Nozzles Custom Built To Your Required Specs.



3-PIECE KIT WITH STORAGE RACK



6-PIECE KIT WITH STORAGE RACK

AquaNOZ® SEWER SOLUTION KITS

DESCRIPTION	INLET	WT	PRICE
3 PIECE KIT	1/4" FPT	1.10	----
Includes storage rack, one Penetrator, one Flusher, and one Px Revolver	3/8" FPT	1.10	----
	1/2" FPT	1.95	----
4 PIECE KIT	1/4" FPT	1.20	----
Includes storage rack, one Penetrator, one Flusher, one De-Icer/De-Greaser, and one Px Revolver	3/8" FPT	1.25	----
	1/2" FPT	2.25	----
5 PIECE KIT	1/4" FPT	1.30	----
Includes storage rack, one Penetrator, one Flusher, one De-Icer/De-Greaser, one Impactor, and one Px Revolver	3/8" FPT	1.40	----
	1/2" FPT	2.45	----
6 PIECE KIT	1/4" FPT	1.45	----
Includes storage rack, one Penetrator, one Flusher, one De-Icer/De-Greaser, one Impactor, one Cornering, and one Px Revolver	3/8" FPT	1.60	----
	1/2" FPT	2.75	----

DON'T SEE THE EXACT JETTER NOZZLE THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448



QC SPRAY NOZZLES



N00020



N15020



N25020



N40020


GP HIGH PRESSURE SPRAY NOZZLES

NOZZLE	DESCRIPTION
0° -RED	Cutting Nozzle. It delivers a concentrated stream that can gouge or cut. It can cut stubborn stains from concrete and other hard surfaces.
15° -YELLOW	Chiseling Nozzle. Working at a 45° angle, this nozzle works like a scraper, stripping paint, grease and grime from hard surfaces.
25° -GREEN	Flushing Nozzle. The most commonly used nozzle for cleaning dirt from siding, sidewalks and metal furniture as well as for wet sweeping leaves.
40° -WHITE	Wash Nozzle. Its widespray allows you to wash and rinse a large area fast. It is usually safe with most surfaces, including aluminum siding, windows and vehicles.


Nozzle Fan Selection

Select the nozzle degree or spray angle, based on your application. Standard nozzle degrees - 0°, 15°, 25°, 40°. Using the wrong nozzle degree can damage the surface you are cleaning.


0° - Red




15° - Yellow



25° - Green



40° - White



GP QC NOZZLES

PRICE: CALL

WT: .04

GP NOZZLES -PART NUMBER CHART

NOZZLE SIZE	0° -RED	15° -YELLOW	25° -GREEN	40° -WHITE
2.0	N00020	N15020	N25020	N40020
2.5	N00025	N15025	N25025	N40025
3.0	N00030	N15030	N25030	N40030
3.5	N00035	N15035	N25035	N40035
3.7	N00037	N15037	N25037	N40037
4.0	N00040	N15040	N25040	N40040
4.5	N00045	N15045	N25045	N40045
5.0	N00050	N15050	N25050	N40050
5.5	N00055	N15055	N25055	N40055
6.0	N00060	N15060	N25060	N40060
6.5	N00065	N15065	N25065	N40065
7.0	N00070	N15070	N25070	N40070
7.5	N00075	N15075	N25075	N40075
8.0	N00080	N15080	N25080	N40080
8.5	N00085	N15085	N25085	N40085
9.0	N00090	N15090	N25090	N40090
10.0	N00100	N15100	N25100	N40100

V00030M



V15035M



V25035M



V40040M



AB00006G

VIPER BRASS QC SOAP SHOOTER

PART NO.	DESCRIPTION	WT	PRICE
AB00006G	Soap Shooter, Long Range Detergent Nozzle	.05	----

VIPER 1/4" MEG HIGH PRESSURE SPRAY NOZZLES

NOZZLE	DESCRIPTION
0°	Cutting Nozzle. It delivers a concentrated stream that can gouge or cut. It can cut stubborn stains from concrete and other hard surfaces.
15°	Chiseling Nozzle. Working at a 45° angle, this nozzle works like a scraper, stripping paint, grease and grime from hard surfaces.
25°	Flushing Nozzle. The most commonly used nozzle for cleaning dirt from siding, sidewalks and metal furniture as well as for wet sweeping leaves.
40°	Wash Nozzle. Its wide spray allows you to wash and rinse a large area fast. It is usually safe with most surfaces, including aluminum siding, windows and vehicles.

Nozzle Fan Selection

Select the nozzle degree or spray angle, based on your application. Standard nozzle degrees – 0°, 15°, 25°, 40°. Using the wrong nozzle degree can damage the surface you are cleaning.



0°



15°



25°



40°

VIPER 1/4" MEG NOZZLES

LIST: \$3.68

WT: .05

VIPER 1/4" MEG NOZZLES –PART NUMBER CHART

NOZZLE SIZE	0° –RED	15° –YELLOW	25° –GREEN	40° –WHITE
3.0	V00030M	V15030M	V25030M	V40030M
3.5	V00035M	V15035M	V25035M	V40035M
4.0	V00040M	V15040M	V25040M	V40040M
4.5	V00045M	V15045M	V25045M	V40045M



V65400M

VIPER BRASS 1/4" MEG CHEMICAL NOZZLE

NOZZLE SIZE	PART NO.	ANGLE	WT	PRICE
40.0	V65400M	65°	.05	----



SPRAY NOZZLES



900055Q



915055Q



925045Q



940045Q

QC NOZZLES

PART NO. BREAKDOWN

- 9 Spray Nozzle
- 4 Spray Angle 40°
- 0
- 3 Nozzle Size, 03.0
- 0
- Q 1/4" Quick Connect

NOTE: Tough-Hardened
Stainless Steel Orifice in a
Stainless Steel Housing

LIST: \$7.30 WT: .04

GP HIGH PRESSURE SPRAY NOZZLES

NOZZLE DESCRIPTION

- 0° -RED Cutting Nozzle. It delivers a concentrated stream that can gouge or cut. It can cut stubborn stains from concrete and other hard surfaces.
- 15° -YELLOW Chiseling Nozzle. Working at a 45° angle, this nozzle works like a scraper, stripping paint, grease and grime from hard surfaces.
- 25° -GREEN Flushing Nozzle. The most commonly used nozzle for cleaning dirt from siding, sidewalks and metal furniture as well as for wet sweeping leaves.
- 40° -WHITE Wash Nozzle. Its wide spray allows you to wash and rinse a large area fast. It is usually safe with most surfaces, including aluminum siding, windows and vehicles.



940025M



940035M



940040M



915035S



925040S



900040S

1/4" MEG NOZZLES

PART NUMBER BREAKDOWN

- 9 Spray Nozzle
- 4 Spray Angle 40°
- 0
- 3 Nozzle Size, 03.0
- 0
- M 1/4" Male Pipe

LIST: \$7.30 WT: .04

1/8" MEG NOZZLES

PART NUMBER BREAKDOWN

- 9 Spray Nozzle
- 4 Spray Angle 40°
- 0
- 3 Nozzle Size, 03.0
- 0
- S 1/8" Male Pipe

LIST: \$7.30 WT: .03

GP NOZZLES -PART NUMBER CHART

NOZZLE SIZE	0° -RED	15° -YELLOW	25° -GREEN	40° -WHITE
2.0	900020	915020	925020	940020
2.5	900025	915025	925025	940025
3.0	900030	915030	925030	940030
3.5	900035	915035	925035	940035
3.7	900037	915037	925037	940037
4.0	900040	915040	925040	940040
4.5	900045	915045	925045	940045
5.0	900050	915050	925050	940050
5.5	900055	915055	925055	940055
6.0	900060	915060	925060	940060
6.5	900065	915065	925065	940065
7.0	900070	915070	925070	940070
7.5	900075	915075	925075	940075
8.0	900080	915080	925080	940080
8.5	900085	915085	925085	940085
9.0	900090	915090	925090	940090
10.0	900100	915100	925100	940100

NOTE: Just add Q, M or S at end of Part Number to indicate Inlet Design

GP BRASS CHEMICAL NOZZLES

NOZZLE SIZE	PART NO.	ANGLE	WT	PRICE
40.0	965400Q	65°	.04	----
40.0	965400M	65°	.05	----



965400Q



965400M

DON'T SEE THE EXACT SPRAY NOZZLE THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448



SA 1/4MEG 15 02



SA 1/4MEG 15 04

WashJet®



SA 1/4MEG 25 02



SA 1/4MEG 25 03

1/4"MEG NOZZLES

PART NO. BREAKDOWN

SA	Standard w/oVane
1/4MEG	1/4"Male Pipe
4	Spray Angle 40°
0	
0	
3	Nozzle Size, 03.0
0	

PRICE: CALL

WT: .03

WashJet®HIGH PRESSURE SPRAY NOZZLES W/OVANE

FEATURES

High Pressure, High Impact Solid Stream (0°) or Flat Fan Spray Pattern

Spray Angles of 5° to 65° at Operating Pressures from 300 to 4000 PSI (20 to 275 bar)

Quick Visual Reference for Spray Alignment with Milled Side Flats

Longer Wear Life and Flow Control Accuracy with Especially Hardened Stainless Steel Construction

SPRAYING SYSTEMS NOZZLES -PART NUMBER CHART

SPRAY ANGLE	PART NO.	NOZZLE SIZES -ADD TO END OF PART NUMBER											
0	SA 1/4MEG 00	N/A	02	N/A	03	035	04	045	05	055	06	065	07
5	SA 1/4MEG 05	N/A	02	N/A	03	N/A	04	N/A	05	055	06	N/A	07
15	SA 1/4MEG 15	015	02	N/A	03	035	04	045	05	055	06	065	07
25	SA 1/4MEG 25	015	02	N/A	03	035	04	045	05	055	06	065	07
40	SA 1/4MEG 40	N/A	02	N/A	03	035	04	045	05	055	06	065	07
65	SA 1/4MEG 65	N/A	02	025	03	N/A	04	045	05	055	06	065	07
0	SA 1/4MEG 00	075	08	085	09	095	10	11	12	125	13	15	18
5	SA 1/4MEG 05	N/A	08	N/A	09	N/A	N/A	N/A	12	N/A	N/A	15	N/A
15	SA 1/4MEG 15	075	08	085	09	095	10	11	12	125	13	15	18
25	SA 1/4MEG 25	075	08	085	09	095	10	11	12	125	13	15	18
40	SA 1/4MEG 40	075	08	085	09	095	10	11	12	125	13	15	18
65	SA 1/4MEG 65	N/A	08	N/A	09	N/A	10	N/A	12	N/A	N/A	15	N/A
0	SA 1/4MEG 00	20	25	30	35	40	50	60	70	80	90		
5	SA 1/4MEG 05	20	25	30	N/A	40	N/A	N/A	N/A	N/A	N/A		
15	SA 1/4MEG 15	20	25	30	35	40	50	60	N/A	N/A	N/A		
25	SA 1/4MEG 25	20	25	30	35	40	50	60	N/A	N/A	N/A		
40	SA 1/4MEG 40	20	25	30	35	40	50	60	N/A	N/A	N/A		
65	SA 1/4MEG 65	20	N/A	30	N/A	N/A	N/A	N/A	N/A	N/A	N/A		

NOTE: N/A=This Nozzle Size Not Available

WashJet®



1/4MEG 15 025



1/4MEG 25 02

WashJet®HP SPRAY NOZZLES W/VANE

PART #	FEATURES	PRICE
1/4MEG 15 01	Uniform Distribution by using Internal Guide Vane to stabilize liquid turbulence	----
1/4MEG 15 02		----
1/4MEG 15 025		----
1/4MEG 25 02		----
1/4MEG 25 025		----
1/4MEG 25 03	RECOMMENDED FOR SURFACE CLEANER USE	----

WT: .04

ADJUSTABLE SPRAY NOZZLES



YHL35



YHL80

GP ADJUSTABLE NOZZLES

PART #	COLOR	ORIFICE SIZE	PRICE
YHL2.0	Light Green	2.0	----
YHL2.5	Pink	2.5	----
YHL3.0	White	3.0	----
YHL3.5	Brown	3.5	----
YHL4.0	Dark Yellow	4.0	----
YHL4.5	Blue	4.5	----
YHL5.0	Light Purple	5.0	----
YHL5.5	Dark Red	5.5	----
YHL6.0	Dark Green	6.0	----
YHL7.0	Orange	7.0	----
YHL8.0	Silver	8.0	----
Y25070824	YHL, Repair Kit		----

DESCRIPTION: Variable Spray Angle with High/Low Pressure Setting

GPM: 10.5 / PSI: 4050 / TEMP: 195° F / INLET: 1/4" BSP-F / WT: .30

NOTE: Push/Pull for Easy Change between High & Low Pressure; Simply Twist to adjust Fan Spray Pattern from 0-80 Degrees



AL413F-1.25



AL413F-1.60

AR VARI-SPRAY NOZZLES

PART #	COLOR	ORI. SIZE	ORI. MM	PRICE
AL413F-1.00	Dark Brown	2.0	1.00	----
AL413F-1.05	Pink	2.2	1.05	----
AL413F-1.10	Red	2.5	1.10	----
AL413F-1.15	Lilac	2.7	1.15	----
AL413F-1.20	Bright Yellow	3.0	1.20	----
AL413F-1.25	Light Green	3.5	1.25	----
AL413F-1.30	Orange	3.8	1.30	----
AL413F-1.35	Blue	4.0	1.35	----
AL413F-1.40	Beige	4.5	1.40	----
AL413F-1.45	Dark Yellow	4.8	1.40	----
AL413F-1.50	Light Blue	5.0	1.50	----
AL413F-1.55	White	5.5	1.55	----
AL413F-1.60	Black	6.0	1.60	----
AL413F-1.65	Purple	6.5	1.65	----

PSI: 2000-3200 / TEMP: 140° F / INLET: 1/4" F / WT: .30

NOTE: Push/Pull for Easy Change between High & Low Pressure; Simply Twist to adjust Fan Spray Pattern from 0-50 Degrees ORI. =ORIFICE



AL413F-1.35

DON'T SEE THE EXACT SPRAY NOZZLE THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448

ROTATING SPRAY NOZZLES



ZROTOMAX2



190040

3500 PSI ROTOMAX ROTATING NOZZLES

PART #	COLOR	GPM	PRICE
ZROTOMAX1	Red	2.1 -2.6	----
ZROTOMAX2	Light Blue	2.9 -4.0	----
ZROTOMAX3	Black	4.2 -5.5	----
190040	ZROTOMAX, Repair Kit		----

TEMP: 176°F / INLET: 1/4" BSP-F / WT: .55 / KIT WT: .03

ALWAYS START ROTOMAX ROTATING NOZZLES POINTING DOWN!



ZRMAX581

5800 PSI ROTOMAX ROTATING NOZZLES

PART #	ORIFICE SIZE	GPM	PRICE
ZRMAX581	140	2.3 -4.7	----
ZRMAX583	160	3.3 -6.6	----

TEMP: 176°F / INLET: 1/4" BSP-F / WT: .75

ALWAYS START ROTOMAX ROTATING NOZZLES POINTING DOWN!



0204006910



0204106910

5800 PSI ROTOJET NOZZLES

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
0204006900	3.0	----	0204106900	----
0204006905	3.5	----	0204106905	----
0204006910	4.0	----	0204106910	----
0204006915	4.5	----	0204106915	----
0204006920	5.0	----	0204106920	----
0204006925	5.5	----	0204106925	----
0204006930	6.0	----	0204106930	----
0204006940	7.0	----	0204106940	----
0204006950	8.0	----	0204106950	----
0204006960	9.0	----	0204106960	----
0204006970	10.0	----	0204106970	----
0204006980	11.0	----	0204106980	----
0204006990	12.0	----	0204106990	----
0204007020	15.0	----	0204107020	----
0204007070	20.0	----	0204107070	----

GPM: 10 / TEMP: 212°F / INLET: 1/4" FPT / WT: 1.7 / KIT WT: .05

ALWAYS START ROTOJET NOZZLES POINTING DOWN!

7250 PSI ROTOJET NOZZLES

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
0204006800	3.0	----	0204106800	----
0204006805	3.5	----	0204106805	----
0204006820	5.0	----	0204106820	\$875.84

GPM: 10 / TEMP: 210°F / INLET: 1/4" BSP-F / WT: 1.55 / KIT WT: .05

ALWAYS START ROTOJET NOZZLES POINTING DOWN!



0204006800

ROTATING SPRAY NOZZLES



22060A-4.0



09240A-2.5

5800 PSI TURBO-LASER NOZZLES

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
22060A-2.0	2.0	----	09240A-2.0	----
22060A-2.5	2.5	----	09240A-2.5	----
22060A-3.0	3.0	----	09240A-3.0	----
22060A-3.5	3.5	----	09240A-3.5	----
22060A-4.0	4.0	----	09240A-4.0	----
22060A-4.5	4.5	----	09240A-4.5	----
22060A-5.0	5.0	----	09240A-5.0	----
22060A-5.5	5.5	----	09240A-5.5	----
22060A-6.0	6.0	----	09240A-6.0	----
22060A-7.0	7.0	----	09240A-7.0	----
22060A-8.0	8.0	----	09240A-8.0	----
22060A-12.0	12.0	----	09240A-12.0	----

GPM: 10 / TEMP: 195°F / INLET: 1/4" BSP-F / WT: 1.65 / KIT WT: .10
ALWAYS START TURBO-LASER NOZZLES POINTING DOWN!

SUTTNER



200 457 540



200 457 140

6000 PSI ST-457 TURBO NOZZLES

PART #	COLOR ORI. SIZE	PRICE	REPAIR KIT	PRICE
200 457 530	Yellow 3.0	----	200 457 130	----
200 457 535	Violet 3.5	----	200 457 135	----
200 457 540	Brown 4.0	----	200 457 140	----
200 457 545	Lt. Green 4.5	----	200 457 145	----
200 457 550	Black 5.0	----	200 457 150	----
200 457 555	Lt. Blue 5.5	----	200 457 155	----
200 457 560	Red 6.0	----	200 457 160	----
200 457 570	Pink 7.0	----	200 457 170	----
200 457 580	Orange 8.0	----	200 457 180	----
200 457 590	Green 9.0	----	200 457 190	----
200 457 510	Gray 10.0	----	200 457 110	----

GPM: 10 / TEMP: 212°F / INLET: 1/4" NPT-F / WT: 1.5 / KIT WT: .05
ALWAYS START ST-457 TURBO NOZZLES POINTING DOWN!

**DON'T SEE THE EXACT SPRAY NOZZLE THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448**

SPRAY NOZZLE CHART

SPRAY NOZZLE CHART -GPM

NOZZLE SIZE	ORIFICE DIAMETER	1000 PSI	1250 PSI	1500 PSI	1750 PSI	2000 PSI	2250 PSI	2500 PSI	3000 PSI	3250 PSI	3500 PSI	3750 PSI	4000 PSI	4500 PSI	5000 PSI	6000 PSI	7000 PSI
1	.026 / 0.66 mm	0.5	0.56	0.61	0.66	0.71	0.75	0.79	0.87	0.9	0.94	0.97	1.0	1.06	1.12	1.22	1.32
1.5	.031 / 0.79 mm	0.75	0.84	0.92	0.99	1.06	1.13	1.19	1.3	1.35	1.4	1.45	1.5	1.59	1.68	1.84	1.98
2	.034 / 0.86 mm	1.0	1.12	1.22	1.32	1.41	1.50	1.58	1.73	1.80	1.87	1.94	2.0	2.12	2.4	2.45	2.65
2.25	.0375 / 0.95 mm	1.13	1.26	1.38	1.49	1.59	1.69	1.78	1.95	2.03	2.1	2.18	2.25	2.39	2.52	2.76	2.98
2.5	.039 / 0.99 mm	1.25	1.40	1.53	1.65	1.77	1.88	1.98	2.17	2.25	2.34	2.42	2.5	2.65	2.8	3.06	3.31
2.75	.0415 / 1.05 mm	1.38	1.54	1.68	1.82	1.94	2.06	2.17	2.38	2.48	2.57	2.66	2.75	2.92	3.07	3.37	3.64
3	.043 / 1.09mm	1.5	1.68	1.84	1.98	2.12	2.25	2.37	2.6	2.70	2.81	2.90	3.0	3.18	3.35	3.60	3.90
3.25	.0455 / 1.16 mm	1.63	1.82	1.99	2.15	2.3	2.44	2.57	2.81	2.93	3.04	3.15	3.25	3.45	3.63	3.98	4.30
3.5	.048 / 1.22 mm	1.75	1.96	2.14	2.32	2.47	2.63	2.77	3.03	3.15	3.27	3.39	3.5	3.71	3.91	4.30	4.60
4	.052 / 1.32 mm	2.0	2.24	2.45	2.65	2.83	3.00	3.16	3.46	3.61	3.74	3.87	4.0	4.24	4.47	4.90	5.30
4.5	.055 / 1.40 mm	2.25	2.52	2.76	2.98	3.18	3.38	3.56	3.9	4.06	4.21	4.36	4.5	4.77	5.03	5.50	5.90
5	.057 / 1.45 mm	2.5	2.80	3.06	3.31	3.54	3.75	3.95	4.33	4.51	4.68	4.84	5.0	5.30	5.59	6.10	6.60
5.5	.06 / 1.52 mm	2.75	3.07	3.37	3.64	3.89	4.13	4.35	4.76	4.96	5.14	5.33	5.5	5.83	6.15	6.70	7.30
6	.062 / 1.57 mm	3.0	3.35	3.67	3.97	4.24	4.50	4.74	5.2	5.41	5.61	5.81	6.0	6.36	6.71	7.30	7.90
6.5	.064 / 1.63 mm	3.25	3.63	3.98	4.30	4.6	4.88	5.14	5.63	5.86	6.08	6.29	6.5	6.89	7.27	8.00	8.60
7	.067 / 1.70 mm	3.5	3.91	4.29	4.63	4.95	5.25	5.53	6.06	6.31	6.55	6.78	7.0	7.42	7.83	8.60	9.30
7.5	.07 / 1.78 mm	3.75	4.19	4.59	4.96	5.3	5.63	5.93	6.5	6.76	7.02	7.26	7.5	7.95	8.39	9.20	9.90
8	.072 / 1.83 mm	4.0	4.47	4.9	5.29	5.66	6.00	6.32	6.93	7.21	7.48	7.75	8.0	8.49	8.94	9.80	10.06
8.5	.074 / 1.88 mm	4.25	4.75	5.21	5.62	6.01	6.38	6.72	7.36	7.66	7.95	8.23	8.5	9.02	9.5	10.40	11.20
9	.076 / 1.93 mm	4.5	5.03	5.51	5.95	6.36	6.75	7.12	7.79	8.11	8.42	8.71	9.0	9.55	10.06	11.00	11.90
9.5	.078 / 1.98 mm	4.75	5.31	5.82	6.28	6.72	7.13	7.51	8.23	8.56	8.89	9.20	9.5	10.08	10.62	11.64	12.57
10	.080 / 2.03 mm	5.0	5.59	6.12	6.61	7.07	7.50	7.91	8.66	9.01	9.35	9.68	10	10.61	11.18	12.25	13.23
11	.083 / 2.11 mm	5.5	6.15	6.74	7.28	7.78	8.25	8.7	9.53	9.92	10.29	10.65	11	11.67	12.3	13.47	14.55
12	.087 / 2.21 mm	6.0	6.71	7.35	7.94	8.49	9.00	9.49	10.39	10.82	11.22	11.62	12	12.73	13.42	14.70	15.90
12.5	.089 / 2.26 mm	6.25	6.99	7.65	8.27	8.84	9.38	9.88	10.83	11.27	11.69	12.10	12.5	13.26	13.98	15.31	16.54
13	.091 / 2.31 mm	6.5	7.27	7.96	8.60	9.19	9.75	10.28	11.26	11.72	12.16	12.59	13	13.79	14.53	15.92	17.20
14	.093 / 2.36 mm	7.0	7.83	8.57	9.26	9.9	10.5	11.07	12.12	12.62	13.1	13.56	14	14.85	15.65	17.15	18.52
15	.096 / 2.44 mm	7.5	8.39	9.19	9.92	10.61	11.25	11.86	12.99	13.52	14.03	14.52	15	15.91	16.77	18.40	19.80
20	.109 / 2.77 mm	10	11.18	12.25	13.23	14.14	15	15.81	17.32	18.03	18.71	19.36	20	21.21	22.36	24.49	26.46
25	.125 / 3.18 mm	12.5	13.98	15.31	16.54	17.68	18.75	19.76	21.65	22.53	23.39	24.21	25	26.52	27.95	30.62	33.07
30	.141 / 3.58 mm	15	16.77	18.37	19.84	21.21	22.50	23.72	25.98	27.04	28.06	29.05	30	31.82	33.54	36.74	39.69
40	.156 / 3.96 mm	20	22.36	24.49	26.46	28.28	30.00	31.62	34.64	36.06	37.42	38.73	40	42.43	44.72	48.99	52.92
50	.172 / 4.37 mm	25	27.95	30.62	33.07	35.36	37.50	39.53	43.3	45.07	46.77	48.41	50	53.03	55.9	61.24	66.14
60	.188 / 4.78 mm	30	33.54	36.74	39.69	42.43	45.00	47.43	51.96	54.08	56.12	58.09	60	63.64	67.08	73.48	79.37



ARJ040-QC



ARJ055



ARJ703-QC

5800 PSI ROTOJET NOZZLES

With D10077Stainless Steel Plug Installed

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
ARJ030-QC	3.0	----	0204106900	----
ARJ035-QC	3.5	----	0204106905	----
ARJ040-QC	4.0	----	0204106910	----
ARJ045-QC	4.5	----	0204106915	----
ARJ055-QC	5.5	----	0204106925	----
ARJ060-QC	6.0	----	0204106930	----
ARJ080-QC	8.0	----	0204106950	----
ARJ100-QC	10.0	----	0204106970	----
ARJ120-QC	12.0	----	0204106990	----
ARJ150-QC	15.0	----	0204107020	----
ARJ200-QC	20.0	----	0204107070	----

GPM: 10 / TEMP: 212°F / INLET: 1/4"QC Plug / WT: 1.75 / KIT WT: .05

NOTE: QC =Quick Connect

ALWAYS START ROTOJET NOZZLES POINTING DOWN!

5800 PSI ROTOJET NOZZLES

With 100560Stainless Steel Filter Plug Installed

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
ARJ030	3.0	----	0204106900	----
ARJ035	3.5	----	0204106905	----
ARJ040	4.0	----	0204106910	----
ARJ045	4.5	----	0204106915	----
ARJ055	5.5	----	0204106925	----
ARJ060	6.0	----	0204106930	----
ARJ080	8.0	----	0204106950	----
ARJ100	10.0	----	0204106970	----
ARJ120	12.0	----	0204106990	----
ARJ150	15.0	----	0204107020	----
ARJ200	20.0	----	0204107070	----

GPM: 10 / TEMP: 212°F / INLET: 1/4"QC Plug / WT: 1.90 / KIT WT: .05

NOTE: QC =Quick Connect

ALWAYS START ROTOJET NOZZLES POINTING DOWN!

7250 PSI ROTOJET NOZZLE

With BW2EF2-S10K Twist Plug Installed

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
ARJ703-QC	3.0	----	0204106800	----

GPM: 10 / TEMP: 210°F / INLET: 1/4"10K QC Twist Plug / WT: 1.75 /

KIT WT: .05 NOTE: QC =Quick Connect

ALWAYS START ROTOJET NOZZLES
POINTING DOWN!



DON'T SEE THE EXACT NOZZLE ASSEMBLY THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448



ATL040



ATL040-F



ATN7K-35

5800 PSI TURBO-LASER NOZZLES

With D10077Stainless Steel Plug Installed

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
ATL020	2.0	----	09240A-2.0	----
ATL030	3.0	----	09240A-3.0	----
ATL035	3.5	----	09240A-3.5	----
ATL040	4.0	----	09240A-4.0	----
ATL045	4.5	----	09240A-4.5	----
ATL050	5.0	----	09240A-5.0	----
ATL055	5.5	----	09240A-5.5	----
ATL060	6.0	----	09240A-6.0	----
ATL070	7.0	----	09240A-7.0	----
ATL080	8.0	----	09240A-8.0	----
ATL120	12.0	----	09240A-12.0	----

GPM: 10 / TEMP: 195°F / INLET: 1/4"QC Plug / WT: 1.70 / KIT WT: .10

ALWAYS START TURBO-LASER NOZZLES POINTING DOWN!

5800 PSI TURBO-LASER NOZZLES

With 100560Stainless Steel Filter Plug Installed

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
ATL020-F	2.0	----	09240A-2.0	----
ATL030-F	3.0	----	09240A-3.0	----
ATL035-F	3.5	----	09240A-3.5	----
ATL040-F	4.0	----	09240A-4.0	----
ATL045-F	4.5	----	09240A-4.5	----
ATL050-F	5.0	----	09240A-5.0	----
ATL055-F	5.5	----	09240A-5.5	----
ATL060-F	6.0	----	09240A-6.0	----
ATL070-F	7.0	----	09240A-7.0	----
ATL080-F	8.0	----	09240A-8.0	----
ATL120-F	12.0	----	09240A-12.0	----

GPM: 10 / TEMP: 195°F / INLET: 1/4"QC Plug / WT: 1.85 / KIT WT: .10

ALWAYS START TURBO-LASER NOZZLES POINTING DOWN!

7250 PSI TURBO-LASER NOZZLES

With BW2EF2-S10K Twist Plug Installed

PART #	ORIFICE SIZE	PRICE	REPAIR KIT	PRICE
ATN7K-35	3.5	----	09485-35	----
ATN7K-45	4.5	----	09485-45	----

GPM: 10 / TEMP: 195°F / INLET: 1/4"10K QCTwist Plug / WT: 2.1 /

KIT WT: .10 ALWAYS START TURBO-LASER NOZZLES POINTING DOWN!



ARJ040-QC-S

6000 PSI ST-457TURBO NOZZLES

With D10077Stainless Steel Plug Installed

PART #	COLOR	ORI. SIZE	PRICE	REPAIR KIT	PRICE
ARJ030-QC-S	Yellow	3.0	----	200 457 130	----
ARJ035-QC-S	Violet	3.5	----	200 457 135	----
ARJ040-QC-S	Brown	4.0	----	200 457 140	----
ARJ045-QC-S	Lt. Green	4.5	----	200 457 145	----
ARJ050-QC-S	Black	5.0	----	200 457 150	----
ARJ055-QC-S	Lt. Blue	5.5	----	200 457 155	----
ARJ060-QC-S	Red	6.0	----	200 457 160	----
ARJ070-QC-S	Pink	7.0	----	200 457 170	----
ARJ080-QC-S	Orange	8.0	----	200 457 180	----
ARJ090-QC-S	Green	9.0	----	200 457 190	----
ARJ100-QC-S	Gray	10.0	----	200 457 110	----

NOTE: ORI. =ORIFICE / GPM: 10 / TEMP:

212°F / INLET: 1/4"QCPlug

/

WT: 1.55 / KIT WT: .05 ALWAYS START ST-457TURBO NOZZLES POINTING DOWN!

6000 PSI ST-457TURBO NOZZLES

With 100560Stainless Steel Filter Plug Installed

PART #	COLOR	ORI. SIZE	PRICE	REPAIR KIT	PRICE
ARJ030-S	Yellow	3.0	----	200 457 130	----
ARJ035-S	Violet	3.5	----	200 457 135	----
ARJ040-S	Brown	4.0	----	200 457 140	----
ARJ045-S	Lt. Green	4.5	----	200 457 145	----
ARJ050-S	Black	5.0	----	200 457 150	----
ARJ055-S	Lt. Blue	5.5	----	200 457 155	----
ARJ060-S	Red	6.0	----	200 457 160	----
ARJ070-S	Pink	7.0	----	200 457 170	----
ARJ080-S	Orange	8.0	----	200 457 180	----
ARJ090-S	Green	9.0	----	200 457 190	----
ARJ100-S	Gray	10.0	----	200 457 110	----

NOTE: ORI. =ORIFICE / GPM: 10 / TEMP: 212°F / INLET: 1/4"QCPlug / WT: 1.70 / KIT WT: .05 ALWAYS START ST-457TURBO NOZZLES POINTING DOWN!

 **Assembled in USA**

NEED A REPLACEMENT FILTER PLUG???

See page 117



100560


Don't see the exact
Nozzle Assembly you need?

Call us today.

We can build it
for the **RIGHT** price!




ARM020



ARM010-F



ARM581-SS



ARM581-F



ARM581



100145

3500 PSI ROTOMAX ROTATING NOZZLES

PART #	COLOR	GPM	WT	PRICE
--------	-------	-----	----	-------

With D10007 Plug Installed

ARM010	Red	2.1 -2.6	.60	----
--------	-----	----------	-----	------

ARM020	Light Blue	2.9 -4.0	.60	----
--------	------------	----------	-----	------

ARM030	Black	4.2 -5.5	.60	----
--------	-------	----------	-----	------

With 100560 Filter Plug Installed

ARM010-F	Red	2.1 -2.6	.80	----
----------	-----	----------	-----	------

ARM020-F	Light Blue	2.9 -4.0	.80	----
----------	------------	----------	-----	------

ARM030-F	Black	4.2 -5.5	.80	
----------	-------	----------	-----	--

TEMP: 176°F / INLET: 1/4" QC Plug NOTE: QC =Quick Connect
ALWAYS START ROTOMAX ROTATING NOZZLES POINTING DOWN!

5800 PSI ROTOMAX ROTATING NOZZLES

PART #	ORIFICE SIZE	GPM	WT	PRICE
--------	--------------	-----	----	-------

With D10077 Stainless Steel Plug Installed

ARM581-SS	140	2.3 -4.7	.80	----
-----------	-----	----------	-----	------

ARM583-SS	160	3.3 -6.6	.80	
-----------	-----	----------	-----	--

With 100560 Stainless Steel Filter Plug Installed

ARM581-F	140	2.3 -4.7	1.0	----
----------	-----	----------	-----	------

ARM583-F	160	3.3 -6.6	1.0	
----------	-----	----------	-----	--

With BW2EF2-S 10K Twist Plug Installed

ARM581	140	2.3 -4.7	1.0	----
--------	-----	----------	-----	------

ARM583	160	3.3 -6.6	1.0	
--------	-----	----------	-----	--

TEMP: 176°F / INLET: 1/4" QC Plug NOTE: QC =Quick Connect
ALWAYS START ROTOMAX ROTATING NOZZLES POINTING DOWN!

SOAP SHOOTERS

PART #	NOZZLE SIZE	PSI	WT	PRICE
--------	-------------	-----	----	-------

Shoots Chemical Up To 3 Stories!

100169	3.5	5000	1.7	----
--------	-----	------	-----	------

100145	4.0	5000	1.7	----
--------	-----	------	-----	------

100146	4.5	5000	1.7	----
--------	-----	------	-----	------

100147	5.0	5000	1.7	----
--------	-----	------	-----	------

100181	6.0	5000	1.7	
--------	-----	------	-----	--

DESCRIPTION: Stainless Steel Body, Adjustable Chemical Metering
Feature with Shut Off INCLUDES: Nozzle, 30' Hose and Filter
INLET: 1/4" QC Plug NOTE: QC =Quick Connect

SPECIALTY NOZZLES/NOZZLE CLEANERS



XJET-13K



XJET



XJETM5-13K



XPP-PACK

X-JETLONG RANGE CHEMICAL NOZZLES

X-Jet -TheOriginal -Projects Chemicals up to 40 Feet

PART #	NOZZLE SIZE	GPM	PSI	WT	PRICE
--------	-------------	-----	-----	----	-------

XJET-09K	#9	3-3.5	2000-3000	2.85	----
----------	----	-------	-----------	------	------

XJET-13K	#13	4-6	3000-4000	2.85	----
-----------------	------------	------------	------------------	-------------	-------------

XJET-16K	#16	6.5-8	3000-4000	2.85	----
----------	-----	-------	-----------	------	------

Kit Includes: X-JetLong Range Nozzle, Low Pressure Close Range Nozzle, 15 Piece Proportioner Set, Shut Off Ball Valve, Strainer, & 15' Suction Hose w/Barb

TEMP: 190°F Max Inlet: 1/4" QC Plug NOTE: QC=Quick Connect

X-JET M5 NOZZLES

X-JETM5 Works Just Like The Original X-Jet, But The Close Range Nozzle Is Replaced By A Built-In Adjustable Nozzle That Projects Chemicals Up To 40' @ 0° Or Down To An 8' Fan Pattern @ 60° With Just A Twist!

PART #	NOZZLE SIZE	GPM	PSI	WT	PRICE
--------	-------------	-----	-----	----	-------

XJETM5-09K	#9	2.5-3.5	2000-3000	2.90	----
------------	----	---------	-----------	------	------

XJETM5-13K	#13	4-6	3000-4000	2.90	----
-------------------	------------	------------	------------------	-------------	-------------

XJETM5-16K	#16	6.5-8	3000-4000	2.90	----
------------	-----	-------	-----------	------	------

Kit Includes: X-JetLong Range M5 Adjustable Nozzle, 15 Piece Proportioner Set, Shut Off Ball Valve, Strainer, & 15' Suction Hose w/Barb

TEMP: 190°F Max Inlet: 1/4" QC Plug NOTE: QC=Quick Connect

X-JET REPLACEMENT PARTS

PART #	DESCRIPTION	WT	PRICE
--------	-------------	----	-------

OR9	#9 Orifice	.04	----
-----	------------	-----	------

OR13	#13 Orifice	.04	----
------	-------------	-----	------

OR16	#16 Orifice	.04	----
------	-------------	-----	------

XM5RVN	Replacement M5 Variable Nozzle	.18	----
--------	--------------------------------	-----	------

XPP-PACK	Proportioners-14 Pack	.05	----
----------	-----------------------	-----	------



17.0023



NCQC-B



NCQC-P

Steam Nozzle

PART #	Description	WT	PRICE
--------	-------------	----	-------

17.0023	Steam Nozzle	.29	----
----------------	--------------	-----	------

TEMP: 266°F Max PSI: 1450Max Inlet: 1/4" FPT

Nozzle Cleaners

PART #	Description	WT	PRICE
--------	-------------	----	-------

NCQC-B	Nozzle Cleaner, Brass	.09	----
---------------	-----------------------	-----	------

NCQC-P	Nozzle Cleaner, Plastic	.01	----
---------------	-------------------------	-----	------