

ELECTRICAL COMPONENTS



C-100753

HIGH LIMIT SWITCH -FIXED THERMOSTAT

PART #	DESCRIPTION	MPT	TEMP	WT	PRICE
C-100753	High Limit Switch (Fixed Thermostat)	1/2"	230° F / 110° C	.49	----

LEAD: 36"



PANEL MOUNTED ADJUSTABLE THERMOSTATS

PART #	DESCRIPTION	PSI	TEMP	WT	PRICE
100438	Panel Mounted (Adjustable Thermostat)	4000	86°-194°F	.42	----
100538	Panel Mounted (Adjustable Thermostat)	4000	86°-250°F	.40	----
100439	Panel Mounted (Adjustable Thermostat)	4000	86°-320°F	.41	----

NOTE: 16(4)A -380V Electric Rating / Panel Mounted Dual Scale Dial / 60" Stainless Steel Insulated Capillary, Copper Immersion Bulb




100438



ECH50

HTCP	ECH50	HT Panel Mounted Adjustable Thermostat	4000	86°-250°F	.4	----
HTCP	ECH55	HT Panel Mounted Adjustable Thermostat	4000	95°-194°F	.4	----
HTCP	ECH70	Rubberized Control Knob, Fits 1/4" Shafts ECH50, ECH55 & VVC10			.03	----

NOTE: 16(4)A -380V Electric Rating / 72" Stainless Steel Insulated Capillary, Copper Immersion Bulb



ECH70

INLINE ADJUSTABLE THERMOSTAT

PART #	DESCRIPTION	TEMP	IN/OUT	WT	PRICE
430025	Inline (Adjustable Thermostat)	60°-230°F	1/2" FPT	.69	----

NOTE: 100V / 25A, Positive Inline Bimetal Control, 1/4" Spade Terminal Connectors



430025



RD-6500

RUPTURE / BURST DISKS


PART #	DESCRIPTION	PSI	TEMP	INLET	WT	PRICE
RD-6500	Rupture Disk	6500	250° F	1/2" NPT-M.25		
HTCP	UPB80*	Burst Disk, Requires UPB05 Adapter	8000	N/A	.05	----
HTCP	UPB05*	Disk Adapter, Fits UPB80	N/A	3/8" MPT	.25	----
HTCP	UPB85*	Burst Disk Assembly, UPB80 & UPB05	N/A	N/A	.30	----

NOTE: *13/16" Thin Walled Socket Required To Change Disk, Torque Spec 32-42ft/lbs

UPB80



UPB05



PANEL MOUNTED DIGITAL HOUR METERS

PART #	DESCRIPTION	WT	PRICE
HTCP	EM312	Digital Hour Meter, 12VDC	.05
HTCP	EM313	Digital Hour Meter, 110/220VAC	.05

NOTE: Solid state electronics, Quartz Crystal



EM312

ELECTRICAL COMPONENTS



100975

TMT INLINE FLOW SWITCHES

PART #	DESCRIPTION	GPM	PSI	IN/OUT	WT	PRICE
100879	TMT Reedless, Brass, Pilot Assist	10.0	4000	3/8"NPT-F	1.45	----
100975	TMT Reedless, Brass	12.0	5000	3/8"NPT-F	1.02	----
100931	TMT Reedless, Stainless Steel	12.0	5800	3/8"NPT-F	.98	----

NOTE: 5A Microswitch, 1.0GPM Minimum Flow, 48" Lead /TEMP: 180°F

PILOT ASSIST FLOW SWITCH WITH REED

PART #	DESCRIPTION	GPM	PSI	IN/OUT	WT	PRICE
100329	Flowswitch, Pilot Assist	.75-16.0	5000	3/8"NPT-F	2.3	----

NOTE: 3A, 250V, 96" Cord, 5A Max /TEMP: 165°F



100329



YFL7SWITCH

INLINE FLOW SWITCH WITH REED

PART #	DESCRIPTION	GPM	PSI	IN/OUT	WT	PRICE
YFL7SWITCH	Flow Switch, Inline	8.0	5100	3/8"BSP-F	.97	----

NOTE: 1A, 250V, 48" Cord, Flow Through Design /TEMP: 175°F

"LOW FLOW" FLOW SWITCHES & ADAPTERS

PART #	DESCRIPTION	GPM	PSI	IN/OUT	WT	PRICE
HTCP VS050	Flow Switch, Low Flow, Inline	.1-3.0	30-200	*	.15	----
HTCP VS052	Flow Switch, Low Flow, 90°	.1-3.0	30-200	*	.15	----

NOTE: *Adapter Required At Each End, See Below 194°F Max, .5A-300VAC, 7A-350VDC Max

HTCP VS051	Adapter, 3/8"FPT, Fits VS050 & VS052				.02	----
HTCP VS053	Adapter, 1/2" Barb, Fits VS050 & VS052				.02	----



VS050



VS052



VS053

VS051

SUTTNER



200 005 500

VERTICAL MOUNT INLINE FLOW SWITCH WITH REED

PART #	DESCRIPTION	GPM	PSI	IN/OUT	WT	PRICE
HTCP 200 005 500	Flow Switch, Inline, ST-5	8.0	4000	3/8"NPT-F	.98	----

NOTE: 3A, 250V, 100Watts Max, 47" Cord, 1.0 GPM Minimum Flow, 75 PSI Minimum /TEMP: 176°F

HORIZONTAL OR VERTICAL MOUNT BRASS FLOW SWITCH W/ REED

PART #	DESCRIPTION	GPM	PSI	IN/OUT	WT	PRICE
HTCP 200 006 540	Flow Switch, Brass, ST-6	8.0	4500	3/8"NPT-M	.80	----
HTCP 200 005 431	Replacement Reed Switch, Fits ST-5 & ST-6				.14	----



200 006 540

NOTE: 3A, 250V, 120Watts Max, 47" Cord, 1.0 GPM Minimum Flow, 75 PSI Minimum /TEMP: 176°F

DON'T SEE THE EXACT ELECTRICAL COMPONENT THAT YOU NEED, CALL US TODAY.
(504) 888-8989 or Toll Free 800-992-7448

ELECTRICAL COMPONENTS



AR PRESSURE SWITCHES

PART #	DESCRIPTION	PSI*	PSI**	TEMP	INLET	WT	PRICE
AL693	Pressure Switch, PS2, 250V/15A	363	3650	190° F	3/8"MPT	.37	----
PS6038	Pressure Switch, PS6, 250V/16A	363	4060	167° F	3/8"MPT	.41	----

CORD: 45"/PSI* =Switching PSI /PSI** =Max PSI

GP PRESSURE SWITCHES



HTCP

PART #	DESCRIPTION	PSI*	PSI**	INLET	WT	PRICE
YPRESSWITCH	Pressure Switch, PA, 250V/15A	580	3600	1/4"NPT-M	.50	----
YPRESSWITCH1535	Pressure Switch, PA, 250V/15A	360	3600	3/8"BSP-M	.44	----
YPRESSWITCH1521	Pressure Switch, PA, 250V/15A	215	3600	1/4"NPT-M	.50	----
YPRESSWITCHHP	Pressure Switch, PA, 250V/15A	650	5800	3/8"BSP-M	.48	----

CORD: 45"/PSI* =Switching PSI /PSI** =Max PSI /TEMP: 195°F

YPRESSWITCH1535



MVVS2.5

mecLine
BY TECOMEC

MECLINE VACUUM SWITCHES

PART #	DESCRIPTION	WT	PRICE
MVVS1.5	Vacuum Switch, 1.5 HG	1.22	----
MVVS2.5	Vacuum Switch, 2.5 HG	1.22	----
MVVS4.5	Vacuum Switch, 4.5 HG	1.22	----

NOTE: 16A Max Current, NO Switch, 1/4"NPT-FConnection, 131°F Max Fluid Temp



PW-3012

LOW VOLTAGEINHIBITOR

PART #	DESCRIPTION	WT	PRICE
PW-3012	Low Voltage Inhibitor, #29721A	.22	----

12VDC BURNER RELAYS

PART #	DESCRIPTION	WT	PRICE
HTCP ECC05	Burner Relay, 12VDC, 70 Amp	.1	----
HTCP ECC07	Constant Duty Relay, 12VDC, 120 Amp	.75	----



ECC05



ECC07



ECF10

PANEL MOUNTED CIRCUIT BREAKERS

PART #	DESCRIPTION	WT	PRICE
HTCP ECF10	Circuit Breaker, 15 Amp, Panel Mount	.1	----
HTCP ECF15	Circuit Breaker, 20 Amp, Panel Mount	.1	----

BATTERY BOXES

PART #	DESCRIPTION	WT	PRICE
9065-1	Battery Box, Large, Fits Group 24 Batteries	2.3	----
9082-1	Battery Box, Small, Fits Group U1 Batteries	1.25	----
HTCP HB101	Battery Box, w/Snap-OnLid, Large, Fits Group 24 Batteries	2.5	----



9082-1

ELECTRICAL COMPONENTS



116582



108885



EK204-73



33-103233-CSK



F04-00700



EC405



293220

SWITCHES –Cam, Toggle, Rocker & Push Button

PART #	DESCRIPTION	WT	PRICE
--------	-------------	----	-------

Cam Switches –3 Position OFF/PUMP/BURNER

116582*	Cam Switch, 40A–600VMax, 1.5 –7.5HP, 3 Positions Off/Pump/Burner	.60	----
----------------	--	-----	------

*Includes Knob, Legend & Mounting Plates, Stem, & Hardware

Cam Switches –2 Position ON/OFF

104420	Cam Switch w/Knob 22mm, 10A–600VMax, Req. 104565 Legend Plate	.2	----
104565	On/Off Legend Plate, Fits 104420	.02	----
145198	Cam Switch Only, 32A–600VMax, Requires 145293 Knob w/Plate	.34	----
145358	Cam Switch Only, 60A–600VMax, Requires 145293 Knob w/Legend Plate	.70	----
145293	Knob w/On/Off Legend Plate, Fits 145198& 145358	.04	----

Cam Switch /Enclosure Assemblies

108885	Cam Switch, 40A–600VMax, 1–Phase, 2 Positions On/Off w/ 5.9" H x 4.3" W x 3.9" D Enclosure	.88	----
108889	Cam Switch, 40A–600VMax 3–Phase, 2 Positions On/Off w/ 4.7" H x 3.7" W x 3.1" D Enclosure	1.1	----

Toggle Switches

EK204-73	Toggle Switch, 10A@250VAC/20A@125VAC	.12	----
C1131/35-20BLACK	Rubber Boot, Black w/Nut, Fits EK204-73	.03	----
Y01	Legend Plate, Fits EK204-73	.03	----
73240	Toggle Switch, 50A@12VDC, Nut & Legend Plate Included	.10	----

Inline Rocker Switch–On/Off

33-103233-CSK	Rocker Switch, Inline, 6A@250VAC/10A@125VAC, 96" Cord w/Terminal Clamps – Fits PROCHEM Sprayers	.32	----
----------------------	---	-----	------

Lighted Rocker Switches w/Red Lens

F04-00700	Lighted Rocker Switch, 10A@250VAC/15A@125VAC	.06	----
F04-00701	Lighted Rocker Switch, 20A@12VDC	.06	----
EC406	Lighted Rocker Switch, 24v Red Lens	.06	----
EC410	Lighted Rocker Switch, 110v Red Lens	.06	----
EC420	Lighted Rocker Switch, 230v Red Lens	.06	----

Lighted Rocker Switches w/Clear Lens

EC405	Lighted Rocker Switch, 12v Clear Lens	.06	----
EC411	Lighted Rocker Switch, 110v Clear Lens	.06	----
EC421	Lighted Rocker Switch, 230v Clear Lens	.06	----

Push Button Switch

104309	Push Button Switch, Dual Start/Stop, Fits All ACI Standard Starters	.10	----
104284	Rubber Boot, Fits 104309	.01	----
104446	Reset Switch, Fits All ACI Magnetic Motor Starters	.20	----

NEMA 4X ENCLOSURES –NON METALLIC

PART #	DESCRIPTION	WT	PRICE
--------	-------------	----	-------

140697	Enclosure, 5"H x 4"W x 3.5"D, Fits 116582 Cam Switch	.50	----
293220	Enclosure, 4.4" H x 4.4" W x 2.6" D, Fits 145198 Cam Switch	.34	----
293760	Enclosure, 5.9" H x 5.9" W x 3.94" D, Fits 111891 Cam Switch	.73	----
293241	Enclosure, 8.7" H x 5.9" W x 5.9" D, Fits All ACI Mag Starters Except 125431, 125435& 123984	1.14	----
293251	Enclosure, 11.8" H x 8.7" W x 5.9" D, Fits 125431, 125435& 123984 ACI Mag Starters	2.1	----

ELECTRICAL COMPONENTS



137095-B00



138223-B00



137231-B00



121328

MAGNETIC STARTER ASSEMBLIES

PART #	DESCRIPTION	HP	PHASE	VOLT	WT	PRICE
5HP						
137095-B00	Magnetic Starter	5	1	230	3.07	----
121322*	Magnetic Starter	5	1	230	2.93	----
137211-B00	Magnetic Starter	5	3	230	3.09	----
121325*	Magnetic Starter	5	3	230	2.95	----
137202-B00	Magnetic Starter	5	3	460	3.07	----
125431**	Magnetic Starter	5	3	460	2.93	----
7.5HP						
137097-B00	Magnetic Starter	7.5	1	230	3.59	----
121323*	Magnetic Starter	7.5	1	230	3.43	----
137216-B00	Magnetic Starter	7.5	3	230	3.15	----
121326*	Magnetic Starter	7.5	3	230	3.01	----
137207-B00	Magnetic Starter	7.5	3	460	3.11	----
125432**	Magnetic Starter	7.5	3	460	2.97	----
10HP						
138223-B00	Magnetic Starter	10	1	230	4.49	----
121324*	Magnetic Starter	10	1	230	4.35	----
137221-B00	Magnetic Starter	10	3	230	3.24	----
121327*	Magnetic Starter	10	3	230	3.10	----
137212-B00	Magnetic Starter	10	3	460	3.12	----
125433**	Magnetic Starter	10	3	460	2.98	----
15HP						
137231-B00	Magnetic Starter	15	3	230	4.73	----
121328*	Magnetic Starter	15	3	230	4.52	----
137217-B00	Magnetic Starter	15	3	460	3.35	----
125434**	Magnetic Starter	15	3	460	3.21	----
20HP						
131037-B00	Magnetic Starter	20	3	230	7.63	----
123984*	Magnetic Starter	20	3	230	7.42	----
137222-B00	Magnetic Starter	20	3	460	3.30	----
125435**	Magnetic Starter	20	3	460	3.16	----

*Includes Auto Start/Stop & Provisional Terminals

**Includes Auto Start/Stop with Step Down Transformer & Provisional Terminals

NOTE: Complete with Contactor, Overload, On/Off Switches, Installed in Poly Enclosure

NOTE: Auto Start/Stop Boxes are used in combination with a Flow Switch or a Pressure Switch and DO NOT have a Built-In Switch

Nilfisk HPW

HYDRO TEK

2353 Almond Avenue
Redlands, CA 92374



Pressure-Pro


7300 Commercial Circle
Fort Pierce, FL 34951

(504) 888-8989 or Toll Free 800-992-7448

ELECTRICAL COMPONENTS

CONTACTORS

PART #	DESCRIPTION	WT	PRICE
135320	Contactors SK Series 5 hp -1Phase, 7.5 hp -3Phase, 230V, Fits 121322, 121326, 137095-B00& 137216B00	.7	----
135305	Contactors SK Series 5 hp 3 Phase 230V, Fits 121325& 137211-B00	.7	----
135304	Contactors S Series 5-10hp 3 Phase 460V w/115V Coil, Fits 125431, 125432 & 125433	.7	----
135306	Contactors SK Series 5-10hp 3 Phase 460V, Fits 137202-B00,137207-B00 & 137212-B00	.7	----
135335	Contactors SK Series 7.5-10hp 1-3Phase 230V, Fits 121327, 137097-B00 & 137221-B00	.9	----
135345	Contactors SK Series 5 hp 1 Phase 230V, Fits 121323	.9	----
135355	Contactors S Series 10-20hp 3 Phase 230V, Fits 121324,121328,123984, 138223-B00 & 137231-B00	1.8	----
135319	Contactors SK Series 15 hp 3 Phase 460V w/120V Coil, Fit 125434	.7	----
135321	Contactors SK Series 15 hp 3 Phase 460V, Fit 137217-B00	.7	----
134827	Contactors CK Series 20 hp 3 Phase 230V, Fits 131037-B00	3.0	----
135334	Contactors SK Series 20 hp 3 Phase 460V w/120V Coil, Fits 125435	.9	----
135336	Contactors SK Series 20 hp 3 Phase 460V, Fits 137222-B00	.9	----



135334



135873

OVERLOAD RELAYS

PART #	DESCRIPTION	WT	PRICE
135852	Overload, 24.5-30A5 HP 1 Phase 230V, Fits 121322& 137095-B00	.3	----
135869	Overload, 11.3-16A5-10HP 3 Phase 230V /460V, Fits 121325, 125433, 137211-B00& 137212-B00	.3	----
135866	Overload, 5.5-7.5A5 HP 3 Phase 460V, Fits 125431& 137202-B00	.3	----
135888	Overload, 35-47A7.5 HP 1Phase 230V, Fits 121323& 137097-B00	.7	----
135872	Overload, 21-25A7.5 HP 3 Phase 230V, Fits 121326& 137216-B00	.3	----
135868	Overload, 9-12.5A7.5 HP 3 Phase 460V, Fits 125432& 137207-B00	.3	----
135897	Overload, 45-60A10HP 1 Phase 230V, Fits 121324& 138223-B00	.7	----
135873	Overload, 24.5-30A 10-20HP 3 Phase 230V /460V, Fits 121327,125435, 137221-B00& 137222-B00	.3	----
135900	Overload, 35-47A15 HP 3 Phase 230V, Fits 121328& 137231-B00	.7	----
135871	Overload, 17-21.5A15 HP 3 Phase 460V, Fits 125434& 137217-B00	.3	----
135901	Overload, 45-60A20HP 3 Phase 230V, Fits 123984	.7	----
135909	Overload, 45-60A20HP 3 Phase 230V, Fits 131037-B00	.9	----

HYDRO TEK ELECTRICAL COMPONENTS

PART #	DESCRIPTION	WT	PRICE
Contactors			
ECC12	Contactors W/110V Coil, 1PH/40A	.7	----
ECC20	Contactors W/220V Coil, 1PH/30A	1.0	----
ECC21	Contactors W/220V Coil, 1PH/40A	1.1	----
Time Delays			
ECD20	Time Delay W/60 Second Timer, 220VAC	.2	----
ECD22	Time Delay W/Adj. 3-60Sec. Timer, 230VAC	.2	----
ECD24	Time Delay W/Adj. 5-300Sec. Timer, 24VAC	.2	----
Motor Starter			
EA103	Motor Starter W/Overload, 230V/3PH/40-52A 1.7	----	----

HTCP



ECC12



ECC20



ECD20



ECD24



EA103

ELECTRICAL COMPONENTS



566-DC2



LPCG757



8465

WIRE CONNECTORS / CORD GRIPS

PART #	DESCRIPTION	WT	PRICE
566-DC2	Romax Connector, 3/8"	.04	----
LPCG50	Cord Grip 1/2", For 12 Gauge Wire, Requires 8463 Nut	.04	----
8463	1/2" Nut For Cord Grip, Fits LPCG50	.01	----
LPCG757	Cord Grip 3/4", For 10 Gauge Wire, Requires 8465 Nut	.07	----
8465	3/4" Nut For Cord Grip, Fits LPCG757	.01	----
CG100875	Cord Grip 1", For 6 Gauge Wire, Requires LN-100 Lock Nut	.32	----
LN-100	Lock Nut 1", Fits CG100875 1" Cord Grip	.07	----



APPLCORDFLAT

POWERCORD WITH PLUG

PART #	DESCRIPTION	WT	PRICE
APPLCORDFLAT	Power Cord w/ Flat Plug, 6', 1875 Watt, 15 Amp, 125 Volt	.59	----



25080-116

14880-4K136BAB8T-104

GROUND FAULT CIRCUIT INTERRUPTERS

PART #	DESCRIPTION	VOLTS	AMPS	WT	PRICE
14880-R-T-C	GFCI, User Attachable Plug	120	15	.34	----
14880-4K136BAB8T-104	GFCI, Right Angle w/ 35' cord	120	15	3.28	----
25080-116	GFCI, In-Line w/ 35' Cord	120	20	3.55	----
HTCP EP120	GFCI, In-Line w/ 35' Cord	120	20	3.6	----
25090-2K136BBB8T-036	GFCI, In-Line w/ 35' Cord	240	15	4.98	----
44720-OR135BRB8T-028	GFCI, In-Line w/ 35' Cord	240	30	10.09	----
HTCP EP125	GFCI, In-Line w/ 35' Cord	240	30	10.1	----
23250-003-012	GFCI, In-Line w/ 35' Cord	240	40	26.46	----



6/4/SEOOW

BULK POWERCORD WIRE - PER FOOT

PART #	DESCRIPTION	GAUGE	WIRE	TYPE	PRICE
14/4/SJ	Power Cord	14	4	SJ	----
12/3/SJ	Power Cord	12	3	SJ	----
10/3/SO	Power Cord	10	3	SO	----
10/4/SO	Power Cord	10	4	SO	----
6/4/SEOOW	Power Cord	6	4	SO	----

(504) 888-8989 or Toll Free 800-992-7448