



EQUIPMENT AND MACHINE CATALOG

HOT & COLD WATER PRESSURE WASHERS • DIRECT DRIVE
GEAR DRIVE • BELT DRIVE • ELECTRIC, GAS & DIESEL POWERED



AUTHORIZED DEALER:
PRESSURE ZONE

2813 Richland Ave. Metairie, LA 70002

(504) 888-8989 | 800-992-7448

www.pressurezone.com

PROUDLY DESIGNED AND ASSEMBLED IN THE USA





PROVIDING HIGH-QUALITY EQUIPMENT TO THE FOLLOWING INDUSTRIES:

- | | | | |
|--|--|--|--|
| Agriculture
Livestock Farms
Crop Farms
Fisheries
Heavy Equipment Maintenance | Contract Cleaning
Building, Exterior Cleaning
Sidewalk Cleaning
Driveway Cleaning
Deck Cleaning
Restaurant & Kitchen Cleaning
Hood & Duct Cleaning
Mobile Vehicle Wash
Graffiti Removal | Healthcare
Hospitals
Nursing Homes
Rehabilitation Facilities | Oil/Gas/Mining
Drilling Oil & Gas
Mining Operations |
| Automotive/Transportation
Vehicle & Fleet Washing
Transportation Companies
Loading Docks
Bus Depots
Train Stations
Airports
Port Authorities | Education
Primary Schools
High Schools
Universities | Hospitality
Hotels
Casinos
Cruise Ships
Amusement Parks
Stadiums | Paint
Surface Preparation
Paint Removal
Painting Contractors |
| Building & Construction
Construction Companies
Tool Companies
Heavy Equipment Maintenance
Dirt & Mud Removal
Grease & Oil Removal
Parts Washing | Food and Beverage
Food Processing Plants
Bottling Facilities
Breweries
Wineries
Bakeries
Food Production Plants
Slaughterhouses | Industrial/Manufacturing
Equipment or Vehicle Production
Assembly Lines
Raw Materials Production Facilities
Steel Mills | Pharmaceutical
Medical Device Production Factories
Pharmaceutical Manufacturing |
| | | Lawn and Garden
Landscapers
Driveways, Patios & Pool Decks
Mildew Removal
Storm Cleanup
Gutter Cleaning | Public/Government
Municipalities (City, County, State & Federal) |
| | | | Retail
Shopping Malls
Department Stores
Supermarkets
Locally Owned Shops |

PRESSURE WASHERS TABLE OF CONTENTS

COLD WATER MACHINES

PRO POWER SERIES

GAS DIRECT DRIVE	2-3
------------------------	-----

EAGLE SERIES

GAS DIRECT DRIVE	4-5
------------------------	-----

EAGLE SERIES

GAS V-BELT DRIVE.....	6-7
-----------------------	-----

PRO SERIES

GAS V-BELT DRIVE.....	8-9
-----------------------	-----

EAGLE SERIES

DIESEL DIRECT DRIVE, DIESEL V-BELT DRIVE ..	10
---	----

GAS GEAR DRIVE.....	11
---------------------	----

EAGLE SERIES

ELECTRIC HAND CARRY DIRECT DRIVE.....	12
---------------------------------------	----

ELECTRIC WALL MOUNT DIRECT DRIVE	13
--	----

EAGLE SERIES

ELECTRIC DIRECT DRIVE	14-15
-----------------------------	-------

EAGLE SERIES

ELECTRIC V-BELT DRIVE.....	17
----------------------------	----

PRO-MAXSERIES

GAS POLYCHAIN BELT DRIVE	18-19
--------------------------------	-------

PRO-MAXHP SERIES

GAS POLYCHAIN BELT DRIVE HP.....	21
----------------------------------	----

PRO-MAXSERIES

ELECTRIC POLYCHAIN BELT DRIVE.....	22-23
------------------------------------	-------

PRO-MAXHP SERIES

ELECTRIC POLYCHAIN BELT DRIVE HP.....	24-25
---------------------------------------	-------

HDC GAS SERIES

HEAVY-DUTY GAS V-BELT DRIVE.....	26
----------------------------------	----

HEAVY-DUTY GAS POLYCHAIN BELT DRIVE	27
--	----

HDC DIESEL SERIES

3 CYLINDER WATER COOLED.....	28
------------------------------	----

PRO-SKIDSERIES

MODULAR TANK FEED.....	29-30
------------------------	-------

PRO-ATV SERIES

MODULAR TANK FEED.....	31-32
------------------------	-------

HD COMMERCIAL TOW-PROTRAILERS

GAS V-BELT DRIVE & POLYCHAIN DRIVE ...	33-34
--	-------

HDC TOW-PRO-JETTRAILERS

GAS V-BELT DRIVE & POLYCHAIN DRIVE ...	35-36
--	-------

PRO-CHEM SERIES

SOFT WASH SPRAY SYSTEMS.....	47
------------------------------	----

HOT WATER MACHINES

HOT SHOT SERIES

4 WHEEL ELECTRIC DIRECT DRIVE	38
-------------------------------------	----

4 WHEEL ELECTRIC V-BELT DRIVE	39
-------------------------------------	----

HOT2GOSH SERIES

4 WHEEL GAS DIRECT DRIVE	40
--------------------------------	----

HOT SHOT SERIES

4 WHEEL GAS DIRECT & V-BELT DRIVE	41
---	----

4 WHEEL DIESEL DIRECT & V-BELT DRIVE	42
--	----

SKID SERIES

PRO-SUPER SKID 12V GAS V-BELT DRIVE	43
---	----

PRO-SUPER SKID W/ 115V GENERATOR	44
--	----

HOT2GOSK SERIES

SKID 12V GAS	45
--------------------	----

SKID SERIES

PRO-SUPER SKID DIESEL V-BELT DRIVE	46
--	----

HN SERIES

STATIONARY LP/NG GAS FIRED V-BELT DRIVE ELECTRIC	47
---	----

TRAILERS/TANK SKIDS

HOT SHOT TOW-PROTRAILERS

GAS 12V DIRECT DRIVE.....	48-49
---------------------------	-------

PRO-SUPER SKID TOW-PROTRAILERS

GAS 12V V-BELT DRIVE	50
----------------------------	----

GAS 115V V-BELT DRIVE	51
-----------------------------	----

HOT2GOTRAILERS & TANK SKIDS

TRAILERS & WATER TANK PACKAGES	52
--------------------------------------	----

SPECIALTY ITEMS

HOT WATER GENERATORS

HOT LINK HOT WATER GENERATOR.....	53
-----------------------------------	----

HOT BOX VERTICAL STATIONARY.....	54
----------------------------------	----

HYDRO VACUUMS

WASTEWATER & FLOOD RECOVERY.....	55
----------------------------------	----

PRO POWER SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



PPS2533HCI



PPS2527KAI

PRO POWER MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
PPS2527HAI	2.5	2700	GC190 Honda	AR RMV-A/Int UL	----
PPS2527KAI	2.5	2700	SH265 Kohler	AR RMV-A/Int UL	----
PPS2530HAI	2.5	3000	GC190 Honda	AR RMV-B/Int UL	----
PPS3030HCI	3.0	3000	GC190 Honda	CAT4PPX/Int UL	----
PPS3030KCI	3.0	3000	SH265 Kohler	CAT4PPX/Int UL	----
PPS2533HAI	2.5	3300	GX200 Honda	AR RMV-B/Int UL	----
PPS2533KAI	2.5	3300	SH265 Kohler	AR RMV-B/Int UL	----
PPS2533HCI	2.5	3300	GX200 Honda	CAT4PPX/Int UL	----

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown on all models except Honda GC
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel axle
- Honda GC, GX & Kohler SH Series engines are 50 state approved
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All models meet or exceed PWMA standards of +/-10%

PRO POWER SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



PPS4042HCl

SKID MOUNT



S/PPS4042HGI

STANDARD ACCESSORIES

- Gun/wand assembly
- 25' hose w/couplers*
- Chemical injector
- 3 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

*NOTE: 2700-3300PSI models include 22mm twist coupler socket hose ends; 4200PSI models include 22mm twist socket x 3/8" QC plug hose ends.

AVAILABLE OPTIONS

ALL MODELS:

Skid Mount - precede model with S/
Example: S/PPS4042HCl.

NOTE: All SH265, GC190 & GX200 ship UPS with contractor grade two piece gun/wand assembly. Minor assembly required.

PRO POWER MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
PPS4042HCl	4.0	4200	GX390 Honda	CAT67DX/Int UL	----
PPS4042HGI	4.0	4200	GX390 Honda	GP TX/Int UL	----


EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448



E3027HV



E3027HC

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

GAS ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
E3027HV	3.0	2700	GX200 Honda	Viper	----
E3027HC	3.0	2700	GX200 Honda	CAT/Int UL	----
E3027HG	3.0	2700	GX200 Honda	GP	----
E3027KV	3.0	2700	SH265 Kohler	Viper	----
E3030HC	3.0	3000	GX200 Honda	Cat/Int UL	----
E3032HA	3.0	3200	GX270 Honda	AR	----
E3032HG	3.0	3200	GX270 Honda	GP	----
E3032HV	3.0	3200	GX270 Honda	Viper	----

EAGLE SERIES

AUTHORIZE DEALER:


Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



E4040HG

SKID MOUNT



S/E4040HA

AVAILABLE OPTIONS: ALL MODELS

Skid Mount –precede model with S/
Example: S/E4040HG

NOTE: GX270& Larger Units Come
with Power Coated Steel Skid.

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. All
electric start models include battery
and marine battery box.

Order standard model and add
E suffix after model
Example: E4040HGE

NOTE: All E3027,E2530&E3030
models ship UPS with contractor
grade two piece gun/wand assembly.
Minor assembly required.

GAS ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
E4040HA	4.0	4000	GX390 Honda	AR	----
E4040HAi	4.0	4000	GX390 Honda	AR/Int UL	----
E4040HC	4.0	4000	GX390 Honda	CAT	----
E4040HG	4.0	4000	GX390 Honda	GP	----
E4040HGi	4.0	4000	GX390 Honda	GP/Int UL	----
E4040HGP	4.0	4000	GX390 Honda	GP-PEP	----
E4042HV	4.0	4200	GX390 Honda	Viper	----
E4042KV	4.0	4200	CH440 Kohler	Viper	----

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



EB3025HG

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access single bolt interlocking belt cover
- Single bolt engine adjustable belt tension
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade engines

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

GAS ENGINE V-BELTDRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
EB3025HA	3.0	2500	GX200 Honda	AR	----
EB3025HG	3.0	2500	GX200 Honda	GP	----

EAGLE SERIES



S/EB4040HG

SKID MOUNT

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



EB4042HV

AVAILABLE OPTIONS: ALL MODELS

Powder Coated Steel Skid Mount –
precede model with S/
Example: S/EB4040HG

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. All
electric start models include battery
and marine battery box.
Order standard model and add E suffix
after model.
Example: E4040HGE

GAS ENGINE V-BELTDRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
EB4035HC	4.0	3500	GX390 Honda	CAT	----
EB4035HG	4.0	3500	GX390 Honda	HP	----
EB4040HA	4.0	4000	GX390 Honda	AR	----
EB4040HC	4.0	4000	GX390 Honda	CAT	----
EB4040HG	4.0	4000	GX390 Honda	HP	----
EB4042HV	4.0	4200	GX390 Honda	Viper	----

PRO SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



S/VB8035HGEA406



VB8035HGEA406

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access single bolt interlocking belt cover
- Single bolt engine adjustable belt tension
- 50 mesh inlet filter – *excludes 8 GPM units
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 & Vanguard models
- Engine and pump oil drains offer easy maintenance
- Oversize pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- 3VX belt system offers balanced power transfer
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- Remote 6 gallon poly fuel tank – Non-Carb Evaporative Compliant – Not for sale to California – See options below for California compliant upgrade
- All units feature electric start and include battery & marine battery box

NOTE: *8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE V-BELTDRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
VB8030HAEA406	8.0	3000	GX630 Honda	AR	----
VB8030HGEA406	8.0	3000	GX630 Honda	GP	----
VB5535VGEA411	5.5	3500	18 HP Vanguard	HP	----
VB5535HGEA411	5.5	3500	GX630 Honda	HP	----
VB8035HAEA406	8.0	3500	GX690 Honda	AR	----
VB8035HGEA406	8.0	3500	GX690 Honda	GP	----
VB5040HAEA411	5.0	4000	GX630 Honda	AR	----

PRO SERIES



VB5550HGEA510

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000 and 6000 PSI models. (See Available Options)

AVAILABLE OPTIONS:

Powder Coated Steel Skid Mount –
Precede model with S/
Example: S/VB5540HGEA411

ACI50005000PSI Chemical Injector
Assembly.

ACI60006000PSI Chemical Injector
Assembly.

CCK006 California compliant Carbon
Canister Kit for 6 gallon fuel tank.



VB4560HGEA600

GAS ENGINE V-BELTDRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
VB5540HGEA411	5.5	4000	GX630 Honda	GP	----
VB4550HGEA510	4.5	5000	GX630 Honda	GP	----
VB5550HGEA510	5.5	5000	GX690 Honda	GP	----
VB4560HGEA600	4.5	6000	GX690 Honda	GP	----

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

DIESEL ENGINE DIRECT DRIVE



E4032KLDGE

DIESEL ENGINE V-BELT DRIVE



EB4032KLDG

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access single bolt interlocking belt cover -belt drives models only
- Single bolt engine adjustable belt tension -belt drives models only
- 50 mesh inlet filter
- Adjustable pressure unloader
- Low oil shutdown
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Thermo-sensor (prevents overheating in bypass mode)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

DIESEL ENGINE DIRECT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
E4032KLDG	4.0	3200	KD440 Kohler	GP	----
E4032KLDGE	4.0	3200	KD440ES Kohler	GP	----

DIESEL ENGINE V-BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
EB4032KLDG	4.0	3200	KD440 Kohler	GP	----
EB4032KLDGE	4.0	3200	KD440ES Kohler	GP	----

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



EG4035HCP

AVAILABLE OPTIONS: ALL MODELS

Skid Mount –precede model with S/
Example: S/E4032KLDG

NOTE: GX270 and larger gas skid
units & diesel skid units include
powder coated steel skid with four
rubber feet.

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric start upgrade option:
Available on GX390 Hondas only.
*All electric start models include
battery and marine battery box.
Order standard model and add E suffix
after model.
Example: E4040HGE

GAS ENGINE GEAR DRIVE MODELS


Part#	GPM	PSI	Model/Brand	Pump	Price
EG4035HCP	4.0	3500	GX390 Honda	CAT	----
EG4040HCP	4.0	4000	GX390 Honda	CAT	----
EG4040HG	4.0	4000	GX390 Honda	HP	----

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



HC/EE2015G



HC/EE2015V

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with lifetime warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- Includes GFCI w/35'cord w/plug

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.


STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC HAND CARRY DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
HC/EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	----
HC/EE2012G	2.0	1200	1.5	115V/1PH/13A	GP	----
HC/EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	----
HC/EE2015V	2.0	1500	2.0	115V/1PH/18A	Viper	----

EAGLE SERIES



WM/EE4020G
w/Auto Start/Stop Option

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



WM/EE2015G

AVAILABLE OPTIONS: ALL MODELS

*Auto Start/Stop (115V)
consult factory

*Auto Start/Stop (230V)
consult factory

NOTE: All 1.5HP, 2HP, 3HP that are
NOT Auto Start/Stop ship UPS with
contractor grade two piece gun/wand
assembly.

Minor assembly required.

ELECTRIC WALL MOUNT DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
WM/EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	----
WM/EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	----
WM/EE3015G	3.0	1500	3.0	230V/1PH/12A	GP	----
WM/EE4020A	4.0	2000	6.0	230V/1PH/26A	AR	----
WM/EE4020G	4.0	2000	6.0	230V/1PH/26A	GP	----

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



EE2015V



EE2015G

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- 50 mesh inlet filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Thermo-sensor (prevents overheating in bypass mode)
- Commercial/Industrial grade motors
- Includes GFCI w/35' cord w/plug

NOTE: Units are completely factory assembled, tested in the USA, and delivered ready to operate. All units are single phase electric power.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

ELECTRIC DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
EE3010G	3.0	1000	2.0	115V/1PH/18A	GP	----
EE2012G	2.0	1200	1.5	115V/1PH/13A	GP	----
EE2015A	2.0	1500	2.0	115V/1PH/18A	AR	----
EE2015G	2.0	1500	2.0	115V/1PH/18A	GP	----
EE2015V	2.0	1500	2.0	115V/1PH/18A	Viper	----
EE3015G	3.0	1500	3.0	230V/1PH/12A	GP	----
EE5520A	5.5	2000	7.5	230V/1PH/35A	AR	----

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



EE3030A



SKID MOUNT

S/EE3530G

AVAILABLE OPTIONS: ALL MODELS

Skid Mount -Precede model with S/

Example: S/EE3035A

NOTE: 5HP & Larger Units Come
with Power Coated Steel Skid.

*Auto Start/Stop (115V)
consult factory

*Auto Start/Stop (230V)
consult factory

NOTE: All 1.5HP, 2HP, 3HP that are
NOT Auto Start/Stop ship UPS with
contractor grade two piece gun/wand
assembly. Minor assembly required.

ELECTRIC DIRECT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
EE3030A	3.0	3000	6.0	230V/1PH/26A	AR	----
EE3530A	3.5	3000	7.5	230V/1PH/35A	AR	----
EE3530G	3.5	3000	7.5	230V/1PH/35A	GP	----
EE4030A	4.0	3000	7.5	230V/1PH/35A	AR	----
EE3035A	3.0	3500	7.5	230V/1PH/35A	AR	----
EE4035A	4.0	3500	10.0	230V/1PH/44A	AR	----
EE3540A	3.5	4000	10.0	230V/1PH/44A	AR	----
EE7020A	7.0	2000	10.0	230V/1PH/44A	AR	----

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448



STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Choice of reliable AR, Cat and General pumps
- 3VX belt system offers balanced power transfer
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Pneumatic tires
- Dual padded shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Heavy duty motor controls in NEMA enclosure w/35'GFCI cord and plug

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

ELECTRIC V-BELTDRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
EB4030E1G402	4.0	3000	7.5	230V/1PH/33A	GP	----
EB4030E3A402	4.0	3000	7.5	230V/3PH/17A	AR	----
EB4030E3CP402	4.0	3000	7.5	230V/3PH/17A	CAT	----
EB4030E3G402	4.0	3000	7.5	230V/3PH/17A	GP	----

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

EAGLE SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



EB4035E3G402

Shown with Block Mounted
K7 Unloader

AVAILABLE OPTIONS: ALL MODELS

Powder Coated Steel Skid Mount –
Precede model with S/
Example: S/EB4035E3G402

*Auto Start/Stop (230V).
consult factory

*Auto Start/Stop w/time
delay–consult factory

*460Vavailable – consult factory

*NOTE: Reviews specs for models
with Auto Start/Stop options as
these units are custom made and
**NONCANCELABLE
& NONRETURNABLE**

ELECTRIC V-BELTDRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
EB4035E3G402	4.0	3500	10.0	230V/3PH/23A	GP	----
EB3540E3A402	3.5	4000	10.0	230V/3PH/23A	AR	----

PRO-MAX SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



SKID MOUNT



S/B1228KGEA105

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter -
*excludes 8 thru 15 GPM units
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 models
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)

NOTE: *8thru 15GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
B1228KGEA105	12.0	2800	CH750 Kohler*	GP	----
B1030KGEA390	10.8	3000	CH750 Kohler*	GP	----

PRO-MAX SERIES



AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

B5535HGEA403

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

*NOTE: Electric start is standard on V-Twin engine models and include battery, marine battery box, and remote 6 gallon poly fuel tank-Non-Carb Evaporative Compliant -Not for sale to California -See options below for California compliant upgrade

AVAILABLE OPTIONS

Skid Mount -Precede model with S/
Example: S/B1228KGEA105

CCK006 California compliant Carbon Canister Kit for 6 gallon fuel tank.

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. *All electric start models include battery and marine battery box. Order standard model and add E suffix after model.
Example: B4040HG403E



POLYCHAIN DRIVE

GAS ENGINE POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
B5535HGEA403	5.5	3500	GX630 Honda*	HP	----
B8035HGEA406	8.0	3500	GX690 Honda*	GP	----
B5540HGEA403	5.5	4000	GX630 Honda*	GP	----

PRO-MAX HP SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448



B4550HGEA511

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (2 year warranty)
- 50 mesh inlet water filter
- EZ-Start
- Adjustable pressure unloader
- Low oil shutdown except GX690 models
- Engine oil drain offers easy maintenance
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Commercial/Industrial grade engines
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- Remote 6 gallon poly fuel tank - Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- All units feature electric start and include battery & marine battery box

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
B4550HGEA511	4.5	5000	GX630 Honda	GP	----
B5550HGEA511	5.5	5000	GX690 Honda	GP	----

PRO-MAX HP SERIES



B4070HGEA700

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B4550HGEA511

ACI50005000PSI Chemical Injector Assembly.

ACI60006000PSI Chemical Injector Assembly.

CCK006 California compliant Carbon Canister Kit for 6 gallon fuel tank

GAS ENGINE POLYCHAIN BELT DRIVE HP MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
B4560HGEA600	4.5	6000	GX690 Honda	GP	----
B4070HAEA700	4.0	7000	GX690 Honda	AR	----
B4070HGEA700	4.0	7000	GX690 Honda	GP	----
B6070KAEA700	6.0	7000	CH1000 Kohler	AR	----

PRO-MAX SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/35' GFCI cord and plug

NOTE: 8 GPM units set up for tank feed. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps Pump		Price
B4030E1A403	4.0	3000	7.5	230V/1PH/33A	AR	----
B4030E1G403	4.0	3000	7.5	230V/1PH/33A	GP	----
B4030E3G403	4.0	3000	7.5	230V/3PH/17A	GP	----

PRO-MAX SERIES



B4035E3G403
with Auto Start/Stop Option

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS: ALL MODELS

Skid Mount -Precede model with S/
Example: S/B4035E3G403

*Auto Start/Stop (230V).
consult factory

*Auto Start/Stop w/time
delay-consult factory

*460V available - consult factory

*NOTE: Reviews specs for models
with Auto Start/Stop options as
these units are custom made
and **NON CANCELABLE &
NON RETURNABLE**

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
B4035E3A403	4.0	3500	10.0	230V/3PH/23A	AR	----
B4035E3G403	4.0	3500	10.0	230V/3PH/23A	GP	----
B4040E3G403	4.0	4000	15.0	230V/3PH/34A	HP	----

PRO-MAX HP SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



B5550E3G511

STANDARD FEATURES

- Revolutionary aircraft grade aluminum frame with dual handles (no welds to fail)
- Lifetime frame warranty
- Easy access tip holder/gun holder/hose hanger on handle
- Epoxy powder coated finish
- 10,000 hour rated Gates polychain cogged belt (two year warranty)
- 50 mesh inlet water filter
- Adjustable pressure unloader
- Oversize pneumatic tires
- Dual spring cushioned shock absorbing feet
- 3/4" cold-rolled steel threaded axle
- Low speed pump and thermo-sensor (prevents overheating in bypass mode)
- TEFC Commercial/Industrial motors
- Mag Starter assembly, w/thermal overload, and start-stop buttons in NEMA enclosure w/35' GFCI cord and plug)

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
B4550E3G511	4.5	5000	20.0	230V/3PH/46A	GP	----
B5550E3G511	5.5	5000	20.0	230V/3PH/46A	GP	----

PRO-MAX HP SERIES



POLYCHAIN DRIVE

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- 4 QC spray nozzles

NOTE: Chemical injector is not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

Skid Mount - Precede model with S/
Example: S/B5550E3G511

ACI5000 5000 PSI Chemical Injector Assembly.

ACI6000 6000 PSI Chemical Injector Assembly.

*Auto Start/Stop (230V).
consult factory

*Auto Start/Stop w/timedelay-consult factory.

*460V available - consult factory

*NOTE: Review specs for models with Auto Start/Stop options as these units are custom made and NON CANCELABLE & NON RETURNABLE.



B4560E3G600
with Auto Start/Stop Option

ELECTRIC POLYCHAIN BELT DRIVE MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
B4560E3G600	4.5	6000	20.0	230V/3PH/46A	GP	----
B4070E3G700	4.0	7000	20.0	230V/3PH/46A	GP	----

HDC GAS SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



HDCV5550HG
PKW005

SHOWN WITH
OPTIONAL
WHEEL KIT

STANDARD FEATURES

- Rugged powder coated steel frame
- Removable roll cage w/hose reel platform. Dimensions: 43"L x 21"W x 36"H
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/marine battery box
- Skid mount or portable
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader
- Many flow rates and pressures available

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- Tank feed plumbing
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

HEAVY-DUTY V-BELT DRIVE GAS ENGINE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
HDCV8035HG	8.0	3500	GX690 Honda	GP	----
HDCV5550HG	5.5	5000	GX690 Honda	GP	----

HDC GAS SERIES



HDC4070HG

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

AVAILABLE OPTIONS

BRK200-CBrake Kit

HRK-HDC(Polychain) Hose Reel Kit,
250' x 3/8" max. w/no add'l hose.

HRK-HDCV(V-Belt) Hose Reel Kit, 250'
x 3/8" max. w/no add'l hose.

HRK-HDC5KHose Reel Kit,
5000PSI units.

HRK-HDC7KHose Reel Kit, 6000&
7000PSI units.

PKW005 Wheel Kit w/Handle
Assembly.

ACI50005000PSI Chemical Injector
Assembly.

ACI60006000PSI Chemical Injector
Assembly.

CCK015 California compliant Carbon
Canister Kit for 12 gallon fuel tank.

Jetter Valve Kit -Call factory for
price & availability.

NOTE: Portable units come with
bypass plumbing.



SHOWN WITH
OPTIONAL
WHEEL KIT

HEAVY-DUTY POLYCHAIN DRIVE GAS ENGINE MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
HDC5550HG	5.5	5000	GX690 Honda	GP	----
HDC4070HG	4.0	7000	GX690 Honda	GP	----


HDC DIESEL SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448



HDCV5550KLDG
PKW004-C

SHOWN
WITH
OPTIONAL
WHEEL KIT

STANDARD FEATURES

- Rugged powder coated steel frame w/ fork lift channels
- Removable roll cage w/ lifting hooks
Dimensions: 47"L x 41"W x 48"H
- On board 12 gallon poly fuel tank
- Full sized battery w/ marine battery box
- Skid mount or portable
- Commercial/Industrial diesel engines
- Engine and pump oil drains offer easy maintenance
- V-belt drive
- Adjustable pressure unloader
- Many flow rates and pressures available

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly w/ quick connects
- Tank feed plumbing
- 50' high pressure hose w/ quick connects
- Maxi-Flo 20% chemical injector assembly w/ quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: Chemical injector & nozzle are not included on 5000, 6000 & 7000 PSI units (See Available Options).

AVAILABLE OPTIONS

PKW004-C Wheel Kit w/ Handle Assembly.

ACI5000 5000 PSI Chemical Injector assembly.

ACI6000 6000 PSI Chemical Injector Assembly.

Jetter Valve Kit - Call factory for price & availability.

NOTE: Portable units come with bypass plumbing.

3-CYLINDER WATER COOLED MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
HDCV8040KLDG	8.0	4000	KDW1003 Kohler	HP	----
HDCV5550KLDG	5.5	5000	KDW1003 Kohler	GP	----

PRO-SKID SERIES



AST200
ASR100
KBP100
AHR250-1
TS/D4040HG431

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

TANK, ALUMINUM SKID & INLET PLUMBING KITS

Part#	Description	Price
AST050	50 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	----
AST100	100 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	----
AST200	200 Gallon Tank, Bands, Aluminum Skid, and Inlet Plumbing	----

PRESSURE WASHER POWER UNITS

Part#	GPM	PSI	Model/Brand	Pump	Price
TS/D3024HG432	3.0	2400	GX200 Honda	GP Direct Drive	----
TS/D3027HG432	3.0	2700	GX200 Honda	GP Direct Drive	----
TS/D3032HG431	3.0	3200	GX270 Honda	GP Direct Drive	----
TS/D4040HA431	4.0	4000	GX390 Honda	AR Direct Drive	----
TS/D4040HG431	4.0	4000	GX390 Honda	GP Direct Drive	----
TS/VB4040HG431	4.0	4000	GX390 Honda	HP V-Belt Drive	----

PRO-SKID SERIES

Pro-Skid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 100 or 200 gallon tank feed system. Available pressures of 2400PSI to 4000PSI and flow rates up to 10GPM in belt, gear, and direct drive configurations. Add the tank/skid model with desired equipment options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which is chemical resistant and rustproof. All units feature adjustable pressure unloader valve. These skid units mount quickly and securely into truck beds, trailers or other vehicles.

STANDARD ACCESSORIES

- Gun/wand assembly w/quick connects
- 50' high pressure hose w/quick connects
- Chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

NOTE: All 100 gallon units are factory assembled (200 gallon units require minor assembly), tested in the USA, and delivered ready to operate. GX630 Model comes with remote 6 gallon poly fuel tank-Non-Carb Evaporative Compliant-Not for sale to California -See options below for California compliant upgrade

PRO-SKID SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



AST200
TS/VB4040HGE431

AVAILABLE OPTIONS

GX630 Model Only: CCK006
California compliant Carbon Canister
Kit for 6 gallon fuel tank.

AVAILABLE OPTIONS: GX390 MODELS ONLY

Electric Start upgrade option:
Available on GX390 Hondas only. *All
electric start models include battery
and marine battery box. Order
standard model and add
E suffix after model.
Example: E4040HGE

DIMENSIONS:

AST-100 with AHR250
39"W x 62"L x 44"H
39"W x 62"L x 31"H (w/o hose reel)

AST-200 with AHR250
49"W x 62"L x 53"H

49"W x 62"L x 40"H (w/o hose reel)
Call factory for more
configurations.

OPTIONS

Part#	Description	Price
ASR100	Aluminum Hose Reel Support Assembly with Mounting Hardware	----
KBP100	Tank Feed Unloader Bypass Return and Hose Assembly	----
KTF100	Float Valve Assembly- (shuts water off when tank is full)	----
KTD075	Tank Drain, 3/4"	----
LWS100	Low Water Shutdown- (shuts engine off when water level is low)	----

OPTIONAL HOSE REELS

Part#	Description	Price
AHR100-1	GP Hose Reel with Hardware, 100' x 3/8" maximum	----
AHR200-1	GP Hose Reel with Hardware, 200' x 3/8" maximum	----
AHR250-1	Hosetract Heavy Duty Hose Reel with Hardware, 250' x 3/8" maximum	----
AHR250-3	Titan SS. Hose Reel with Hardware, 250' x 3/8" maximum	----

PRO-ATV SERIES



AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

CST050-GATOR
AHR250-G
RCS/G1050HH
266693
4465-1702 200'

TANK, ALUMINUM SKID & INLET PLUMBING KITS

Part#	Description	Price
AST050-GATOR	Assembly Skid/Tank, 50 Gallon, Inlet Plumbing	----
CST050-GATOR	Assy. Chem. Skid/Tank, 50 Gal, w/Inlet Plumbing & Bypass	----

ROLL CAGE SKID POWER UNITS

Part#	GPM	PSI	Model/Brand	Pump	Price
RCS/E3027HA-TP*	3.0	2700	GX200 Honda	Viper Direct Drive	----
RCS/E3027HG-TP*	3.0	2700	GX200 Honda	GP Direct Drive	----
RCS/G1050HH	10	500	GX200 Honda	Hypro Gear Drive	----

PRO-ATV SERIES


Pro-ATVskid units can be combined with various cold water pump/engine units to achieve a "Totally Self Contained" 50 gallon tank feed system. Available pressures from 500PSI to 4000PSI and flow rates up to 10GPM in gear, and direct drive configurations. Add the tank/skid model with desired equipment and options listed to design a custom Honda powered unit built to your specifications. All skids are constructed of aircraft grade aluminum which is chemical resistant and rustproof. These units mount quickly and securely into Gator, Rhino, Mule or other ATV vehicles.

PRO-ATV SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



Gator ATV NOT INCLUDED

AST050-GATOR
AHR100-1
RCS/E3027HG-TF*
KBP100

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

*RCS/E3027H models come with STANDARD ACCESSORIES noted on page 30

AST050-GATOR
Dimensions: (with AHR100-1)
38"W x 48"L x 44"H

CST050-GATOR
Dimensions: (with AHR250-G)
38"W x 48"L x 49"H

Call factory for more configurations.

OPTIONS

Part#	Description	Price
KBP100	Tank Feed Unloader Bypass Return & Hose Assy. (CST050-GATOR already has Bypass)	----
266693	Ag. Spray Gun, compare to JD9	----
4465-1702	Ag. Hose, 3/8", Yellow, Select 200' or 400' (Price is per foot)	----
KTF100	Float Valve Assembly - (shuts water off when tank is full)	----
KTD075	Tank Drain, 3/4"	----
LWS100	Low Water Shutdown - (shuts engine off when water level is low)	----

OPTIONAL HOSE REELS

Part#	Description	Price
AHR100-1	GP Hose Reel with Hardware, 100' x 3/8" maximum	----
AHR200-1	GP Hose Reel with Hardware, 200' x 3/8" maximum	----
AHR250-1	Hose retract Hose Reel w/ Hardware, 250' x 3/8" max (High Pressure Jumper Hose)	----
AHR250-G	Hose retract Hose Reel w/ Hardware, 250' x 3/8" max (Yellow AG Jumper Hose)	----
AHR250-3	Titan S.S. Hose Reel with Hardware, 250' x 3/8" maximum	----

HD COMMERCIAL TOW-PRO TRAILERS

**READY TO
WORK!**



TRHDCV5535HG
AHS290
988VR-100

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

TRAILER FEATURES

- 2-250' high pressure hose reels
- Chemical resistant coating
- 200gallon water tank & Poly tool box
- Lights, jack w/wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500#capacity axle, 135"Lx 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HD COMMERCIAL SKID FEATURES

- Rugged powder coated steel frame
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/marine battery box
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Adjustable pressure unloader

GAS ENGINE V-BELT DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	Price
TRHDCV8030HG	8.0	3000	GX630 Honda	GP	----
TRHDCV5535HG	5.5	3500	GX630 Honda	HP	----
TRHDCV8035HG	8.0	3500	GX690 Honda	GP	----
TRHDCV5540HG	5.5	4000	GX630 Honda	GP	----
*TRHDCV5550HG	5.5	5000	GX690 Honda	GP	----

HD COMMERCIAL TOW-PRO TRAILERS

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448



TRHDCV5535HG

SELF-CONTAINED, NO OUTSIDE POWER SOURCE NEEDED

AVAILABLE OPTIONS

KCT02525gallon Chemical Tank

KTF200 Float valve kit

KAV001-I Air blowout valve/winterizing kit

LWS100 Low water shut-down.

ACI50005000PSI Chemical Injector Assembly.

ACI60006000PSI Chemical Injector Assembly.

Jetter Valve Kit -Call factory for price & availability.

TRL-BRK Electric brakes installed.

TRL-BBAK Electric brakes & breakaway installed.

TLK100Trailer leveling kit.

P9000S: Wheel/Tire fits all Tow-Pro Trailers.

CCK015 California compliant Carbon Canister Kit for 12 gallon fuel tank.

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	Price
AHS235	4000	3/8"X 100'	Black W/Qc's	----
AHS240	4000	3/8"X 150'	Black W/Qc's	----
AHS245	4000	3/8"X 200'	Black W/Qc's	----
AHS285	4000	3/8"X 100'	Gray W/Qc's	----
AHS290	4000	3/8"X 150'	Gray W/Qc's	----
AHS295	4000	3/8"X 200'	Gray W/Qc's	----
*AHS335	6000	3/8"X 100'	Black W/Qc's	----
*AHS335-6K	6000	3/8"X 100'	Black W/10KQc's	----
*AHS835	7200	3/8"X 100'	Black W/10KQc's	----
988VR-100	400	3/4"X 100'	Black HD Garden Hose	—

* For 5000, 6000PSI, and 7000PSI models only

HDC TOW-PRO-JET TRAILERS



FOOT VALVE

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

TRAILER FEATURES

- 500' x 3/8" or 350' x 1/2" capacity electric high pressure hose reel
- Chemical resistant coating
- 200 gallon water tank w/float valve
- Poly tool box
- Lights, jack w/wheel, & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500# capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HDC JETTER SKID FEATURES

- Rugged powder coated steel frame
- On board 12 gallon poly fuel tank- Non-Carb Evaporative Compliant - Not for sale to California - See options below for California compliant upgrade
- Full sized battery w/marine battery box
- Commercial/Industrial gasoline engines
- Engine and pump oil drains offer easy maintenance
- Polychain or V-belt drive
- Pressure regulating unloader
- Pump Mounted Jetter Pulse Valve
- Foot Valve w/8' Jumper Hoses
- 6-Nozzle Rack w/3 Nozzles Included: Penetrator - dislodges blockage (1 Forward Jet, 3 Back Jets) Flusher - flushes loose debris (6 Back Jets) De-icer/De-Greaser- removes grease, hard soap or even ice from heavily blocked lines (3 Forward Angle Jets, 6 Back Jets)



NOZZLE RACK

GAS ENGINE V-BELT DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	Price
TRHDCJ/VB8035HG	8.0	3500	GX690 Honda	GP	----

GAS ENGINE POLYCHAIN DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	Price
*TRHDCJ/B1030KG	10.0	3000	CH740 Kohler	GP	----

HDC TOW-PRO-JET TRAILERS

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



TRHDCJ/B1030KG
PRO08200S

AVAILABLE OPTIONS

KWT025 25 gallon Winterizing Tank.

LWS100 Low water shut-down.

TRL-BRK Electric brakes installed.

TRL-BBAK Electric brakes & breakaway installed.

TLK100 Trailer leveling kit.

P9000S: Wheel/Tire fits all Tow-Pro Trailers.


CCK015 California compliant Carbon Canister Kit for 12 gallon fuel tank.

JETTER HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	In/Out	Price
PRO06200S	3600	3/8" X 200'	Black	3/8" MPT**	----
PRO06250S	3600	3/8" X 250'	Black	3/8" MPT**	----
PRO06300S	3600	3/8" X 300'	Black	3/8" MPT**	----
*PRO08200S	4000	1/2" X 200'	Green	1/2" MPT**	----
*PRO08250S	4000	1/2" X 250'	Green	1/2" MPT**	----
*PRO08300S	4000	1/2" X 300'	Green	1/2" MPT**	----

*1/2" hose available with these models only. **Inlet =MPT Solid/Outlet=MPT Swivel

PRO-CHEM SERIES



SW200-G1003HU

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

PRO-CHEM SOFT WASH SPRAY SYSTEMS

Pro-ChemSoft Wash Spray Systems are low pressure chemical applicators designed for cleaning roofs, building exteriors, driveways, screen enclosures, wood decks, fences, vinyl siding or any softer surfaces to remove bacteria, molds, mildews, moss, fungus and algae when pressure washing is not feasible. "Totally Self Contained" 100 or 200 gallon tank feed systems with available pressures of 150 or 300 PSI and flow rates of 6 or 10 GPM featuring Honda gasoline engines and gear reduced AR or UDOR diaphragm pumps. All skid frames are constructed of aircraft grade aluminum which is chemical resistant and rustproof.

STANDARD FEATURES

- 100 or 200 gallon poly tank/skid self-contained system
- Lightweight, rustproof modular aluminum skid w/lifetime warranty
- Durable corrosion resistant aluminum and stainless steel hose reel
- Exclusive Tank-less Clean-N-Flush Valve
- Gear Drive AR Diaphragm pumps
- Rugged GX200 Honda Commercial Engines

STANDARD ACCESSORIES

- 300' x 3/8" chemical application hose
- Adjustable Spray Gun: Up to 30' Spray distance

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate. UNITS MUST BE FLUSHED IMMEDIATELY AFTER EACH USE.

DIMENSIONS:

100 Gallon Models: 39" W x 65" L x 51" H
200 Gallon Models: 49" W x 65" L x 51" H

PRO-CHEM SOFT WASH SPRAY SYSTEMS

Part#	Tank Size	GPM	PSI	Model/Brand	Pump	Price
SW100-G1003HA	100*	10.0	300	GX 200 Honda	AR	----
SW200-G1003HA	200*	10.0	300	GX 200 Honda	AR	----

*Gallon

HOT SHOT SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



AVAILABLE OPTIONS: ALL MODELS

ATK010 Inline Adjustable Thermostat

AVAILABLE OPTIONS: 4 WHEEL MODELS ONLY

BRK100 Brake Kit

HRK415 Hose Reel Kit, 150' x 3/8" max.
w/no add'l hose.

GP, CAT pumps available -
consult factory

4 WHEEL PORTABLE DIRECT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
3230-30A1	3.0	3000	6.0	230V/1PH/26A	AR	----
4230-35A1	4.0	3500	10.0	230V/1PH/44A	AR	----

HOT SHOT SERIES



AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/lifting hook & 13" flat free tires & threaded axles
- 4-wheel dimensions: 39"L x 31"W x 49"H
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/fuel filter
- Commercial/Industrial grade motors
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Low speed pump w/thermo-sensor (prevents over heating in bypass mode)
- Includes GFCI with 35' cord and plug

NOTE: All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Adjustable high pressure chemical metering system
- 4 color-coded QC spray nozzles

AVAILABLE OPTIONS: ALL MODELS

ATK010 Inline Adjustable
Thermostat.

BRK100 Brake Kit.

HRK415 Hose Reel Kit, 150' x 3/8"
max. w/no add'l hose.

AR, CAT and Viper pumps
available - consult factory

4230VB-30G1

4 WHEEL PORTABLE V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
3230VB-25G1	3.0	2500	5.0	230V/1PH/25A	GP	----
4230VB-20G1	4.0	2000	5.0	230V/1PH/25A	GP	----
4230VB-30G1	4.0	3000	7.5	230V/1PH/33A	GP	----

HOT2GO SH SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

GAS POWERED, DIESEL HEATED

The SH Series is a portable high power washer with a compact design, ideal for use where electric power is not available. Commercial duty engines provide power to the triplex, ceramic plunger, direct-drive pumps to give you the right cleaning power where you need it.

Requires Group 24 550CC battery, not included.

Adjustable thermostat
up to 250°F wet steam!

Large 8 gallon
diesel tank to
supply diesel
burner.



SH40004HH

STANDARD FEATURES

- Rugged Powder Coated Steel frame with balanced lifting point
- Integrated handles and 4 large tires for easy portability
- Stainless Steel insulated coil enclosure
- Integrated gun/wand holder and hose storage hooks
- Pressure relief valve, Safety bust disk included for operator safety
- Dimensions: 44"L x 28"W x 45"H

STANDARD ACCESSORIES

- 50' high pressure hose
- Gun and wand assembly
- QC spray nozzles

OPTIONAL ACCESSORIES

- Downstream soap injection with QC soap nozzle (AC340)
- Hour meter (AM512)

PORTABLE DIRECT DRIVE MODELS

Part#	GPM	PSI	CC	Engine	Pump	Price
SH27003VH	2.5	2700	205	Vanguard E/S	AR	----
SH35003VH	3.0	3500	305	Vanguard	AR	----
SH40004HH	3.5	4000	389	GX390 Honda E/S	AR	----

HOT SHOT SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



4012-10C

**GAS ENGINE
DIRECT DRIVE**



4012-17G

**GAS ENGINE
V-BELT DRIVE**

STANDARD FEATURES

- Rugged powder coated steel roll cage frame w/lifting hook & 13" flat free tires & threaded axles
- 4-wheel dimensions: 39"L x 31"W x 49"H
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve
- Thermo-sensor (prevents over heating in bypass mode)

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/marine battery box. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quick connects
- Maxi-Flo 20% chemical injector assembly w/quick connects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

4 WHEEL PORTABLE DIRECT DRIVE GAS ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
4012-10A	4.0	4000	GX390 Honda	AR	----
4012-10C	4.0	4000	GX390 Honda	CAT	----
4012-10G	4.0	4000	GX390 Honda	GP	----
4012-42HV	4.0	4200	GX390 Honda	Viper	----
4012-42KV	4.0	4200	CH440 Kohler	Viper	----

4 WHEEL PORTABLE V-BELT DRIVE GAS ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
4012-17C	4.0	4000	GX390 Honda	CAT	----
4012-17G	4.0	4000	GX390 Honda	HP	----

HOT SHOT SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



4012-15G

DIESEL ENGINE DIRECT DRIVE

AVAILABLE OPTIONS

ATK005 Adjustable Thermostat.

BRK100 Brake Kit.

HRK415 Hose Reel Kit, 150' x 3/8" max.
w/no add'l hose.

AR, CAT, GP and Viper gear
drive pumps available -
consult factory.

4 WHEEL PORTABLE DIRECT DRIVE DIESEL ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
4012-15G	4.0	3200	KD440ES Kohler	GP	----

4 WHEEL PORTABLE V-BELTDRIVE DIESEL ENGINE 12V MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
4012-16G	4.0	3200	KD440ES Kohler	GP	----

PRO-SUPER SKID SERIES



8012PRO-35HG

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

STANDARD FEATURES

- Rugged powder coated steel, low-profile frame w/fork lift channels
- 48'L x 43'W x 48'H frame dimensions offer versatile installation
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- On board 12 gallon poly diesel & gas (excludes GX390 models) fuel tanks w/fuel filters -Non-Carb Evaporative Compliant -Not for sale to California -See options below for California compliant upgrade
- Reliable Honda & Vanguard gasoline Commercial/Industrialelectric start engines
- Includes 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, CAT and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve

NOTE: 12V units include 20amp charging system. 115V units include 2900watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

PRO-SUPER SKID GAS ENGINE V-BELTDRIVE 12 VOLT MODELS


Part#	GPM	PSI	Model/Brand	Pump	Price
4012PRO-10G	4.0	3500	GX390 Honda	HP	----
6012PRO-20G	5.5	3500	GX630 Honda	HP	----
6012PRO-20G-V	5.5	3500	18 HP Vanguard	HP	----
6012PRO-10G	5.5	4000	GX630 Honda	GP	----
7012PRO-40HA	7.0	4000	GX690 Honda	AR	----
8012PRO-35HG	8.0	3500	GX690 Honda	GP	----

PRO-SUPER SKID SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



6115PRO-10G

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quickconnects
- Maxi-Flo 20% chemical injector assembly w/quickconnects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

PKW003-C Wheel Kit

ESK016 Exhaust Stack Kit,
Fits 16" Coil.


FTK001 Float Tank Kit w/High
Pressure Chemical Metering Valve.

CCK015 California compliant Carbon
Canister Kit for 12 gallon fuel tank.

PRO-SUPER SKID W/115 VOLT, 2900 WATT, 20 AMP GENERATOR

Part#	GPM	PSI	Model/Brand	Pump	Price
6115PRO-20G	5.5	3500	GX630 Honda	HP	----
6115PRO-10G	5.5	4000	GX690 Honda	GP	----
8115PRO-30HG	8.0	3000	GX690 Honda	GP	----

HOT2GO SK SERIES



SH30005VH

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

STANDARD FEATURES

- Commercial/Industrial, electric start gasoline engines
- Rugged powder coated steel frame with balanced lifting point
- Triplex, ceramic plunger direct or belt drive pumps
- Adjustable thermostat up to 250°F
- High capacity 1/2" SCH 80 steel coil
- Stainless Steel insulated coil wrap
- 2 Large 8 gallon gas and diesel tanks (on belt drive models) for long run times without refueling
- Remote mounted unloader for easy maintenance
- External bypass loop keeps pump running cool
- Pressure relief valve, Safety bust disk included for operator safety
- 50 State CARB compliant
- Dimensions: 43"L x 27"W x 45"H

STANDARD ACCESORIES

- 50' high pressure hose
- Gun and wand assembly
- QC spray nozzles

OPTIONAL ACCESORIES

- Downstream soap injection with QC soap nozzle (AC340)
- Hour meter (AM512)
- 200gallon Transport trailer with reels, 200gallon tank skid with reels, Tow & Stow™ tank skid transporter (See page 54 for additional details and pricing)

The SK Series is a truly versatile machine. It can be trailer or truck mounted to work for you, right where you need it.

Requires Group 24 550CCA battery, not included.

GAS POWERED DIRECT DRIVE 12V SKID MODEL

Part#	GPM	PSI	CC	Engine	Pump	Price
SK40004HH*	3.5	4000	389	GX390 Honda	AR	----

*SK40004HH has a 1.6 gallon gasoline tank mounted on the engine and dual 8 gallon diesel fuel tanks.

GAS POWERED BELT DRIVE 12V SKID MODELS

Part#	GPM	PSI	CC	Engine	Pump	Price
SK30005VH	5.0	3000	479	Vanguard	AR	----
SK40005VH	4.8	4000	570	Vanguard	AR	----


PRO-SUPER SKID SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

DIESEL ENGINE / DIESEL BURNER



6115PRO-40KLDG

STANDARD FEATURES

- Rugged powder coated steel, low-profile frame w/fork lift channels
- Frame Dimensions: 53"L x 51"W x 52"H All models except 4012PRO-32KLDG/48" L x 43" W x 48" H Model 4012PRO-32KLDG Only
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- Dual 12 gallon poly diesel fuel tanks with fuel filters
- Reliable Kohler & Kubota Diesel Commercial/Industrialelectric start engines
- Includes 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, CAT and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve

NOTE: 12V units include 45amp charging system (except 4012PRO-32KLDG which includes 20amp charging system). 115V units include 2900watt generator. All units are completely factory assembled, tested in the USA, and delivered ready to operate.

PRO-SUPER SKID DIESEL ENGINE V-BELT DRIVE 12 VOLT MODELS

Part#	GPM	PSI	Model/Brand	Pump	Price
6012PRO-40KLDG	5.5	4000	KDW1003 Kohler	GP	----
8012PRO-35KLDG	8.0	3500	KDW1003 Kohler	GP	----
8012PRO-40KLDG	8.0	4000	KDW1003 Kohler	HP	----

PRO-SUPER SKID W/115 VOLT, 2900 WATT, 20 AMP GENERATOR

Part#	GPM	PSI	Model/Brand	Pump	Price
6115PRO-40KLDG	5.5	4000	KDW1003 Kohler	GP	----

STANDARD ACCESSORIES

- Gun/wand assembly with insulated grip and quick connects
- 50' high pressure hose w/quickconnects
- Maxi-Flo 20% chemical injector assembly w/quickconnects
- 4 color-coded QC spray nozzles
- 1 color-coded QC chemical nozzle

AVAILABLE OPTIONS

PKW003-C Wheel Kit
ESK016 Exhaust Stack Kit, Fits 16" Coil
FTK001 Float Tank Kit w/High Pressure Chemical Metering Valve

HN SERIES

NEW



HN20004E2G-PP



ETL Listed
Certified to UL 1776
Certified to
CAN / CSA B140.11

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448

STANDARD FEATURES

- Clean and efficient heating system
- NEMA4 water tight electrical box
- By-Pass-Cool system protects pump from overheating if left on after use
- 24 volt automatic ignition system on low emission natural gas burner
- Durable frame construction
- Best in class accessibility
- Dual rated for 208v or 230v -1ph, 20amp
- V-Belt drive with EZ align pump/rail
- General Pump
- Heavy duty industrial motor with standard thermal overload protection
- Adjustable temperature up to 250°F
- Burst disc technology for operator safety
- Rustproof float tank to regulate incoming water ensuring consistent system performance
- Remote ready: Choose an on/off timer remote option or a full function remote option for complete control from the wash - Add R on part number, consult factory Example: HN20004E2G-PPR
- Diesel fired and LP models available, consult factory

STANDARD ACCESSORIES:

- Gun/wand assembly
- 50' high pressure hose
- Full pressure chemical injection, precision stainless steel metering valve
- 3 color-coded QC spray nozzles (15", 25", 40")

STATIONARY LP/NG GAS FIRED V-BELT DRIVE ELECTRIC MODELS

Part#	GPM	PSI	HP	Volts/Phase/Amps	Pump	Price
HN20004E2G-PP	4.0	2000	5.0	230V/1PH/20A	GP	----
HN30004E2G-PP	4.0	3000	8.0	230V/1PH/37A	GP	----

HOT SHOT TOW-PRO TRAILERS

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

**READY TO
WORK!**



TRS/4012-40HG
AHS290
988VR-100

**SELF-CONTAINED, NO OUTSIDE
POWER SOURCE NEEDED**

TRAILER FEATURES

- 2-250' high pressure hose reels
- Chemical resistant coating
- 200gallon water tank & Poly tool box
- Lights, jack, w/wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (forkliftable) 3500#capacity axle, 135"L x 82"W x 60"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

HOT SHOT FEATURES

- Rugged powder coated steel burner frame
- Super efficient schedule 80 coil w/ one-piece molded insulation combustion chamber
- Stainless steel coil wrap
- 8 gallon poly diesel fuel tank w/fuel filter
- Commercial/Industrial grade engines
- Reliable Beckett burners
- High limit over temp protection
- Safety pressure relief valve

NOTE: Gasoline Honda and Diesel powered models include electric start, and battery w/marine battery box.

GAS ENGINE 12V DIRECT DRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	Price
TRS/4012-40HA	4.0	4000	GX390 Honda	AR	----
TRS/4012-40HC	4.0	4000	GX390 Honda	CAT	----
TRS/4012-40HG	4.0	4000	GX390 Honda	GP	----

HOT SHOT TOW-PRO TRAILERS

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448



TRS-4012-40HG

AVAILABLE OPTIONS

KCT02525 gallon Chemical Tank.

TLK100 Trailer Leveling Kit.

KTF200 Float valve kit.

KAV001-I Air blowout valve/winterizing kit.

LWS100 Low water shut-down.

ATK005 Adjustable Thermostat.

TRL-BRK Electric brakes installed.

TRL-BBAK Electric brakes & breakaway installed.

P9000S: Wheel/Tire fits all Tow-Pro Trailers.

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	Price
AHS235	4000	3/8"X 100'	Black W/Qc's	----
AHS240	4000	3/8"X 150'	Black W/Qc's	----
AHS245	4000	3/8"X 200'	Black W/Qc's	----
AHS285	4000	3/8"X 100'	Gray W/Qc's	----
AHS290	4000	3/8"X 150'	Gray W/Qc's	----
AHS295	4000	3/8"X 200'	Gray W/Qc's	----
AHS335	6000	3/8"X 100'	Black W/Qc's	----
988VR-100	400	3/4"X 100'	Black HD Garden Hose	----

Add Trailer Model and Options to Calculate Complete Trailer Cost

PRO-SUPER SKID TOW-PRO TRAILERS

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448



TR6012PRO-35HG

**SELF-CONTAINED, NO OUTSIDE
POWER SOURCE NEEDED**

TRAILER FEATURES

- 2-250' high pressure hose reels
- Chemical resistant coating
- 200gallon water tank & Poly tool box
- Lights, jack, w/wheel & safety chains
- Fully tested and assembled in the USA
- HD trailer (fork-liftable) 3500#capacity axle, 135"L x 82"W x 63"H
- Aluminum fenders, 15" wheels/tires, external grease fittings.

PRO-SUPER SKID FEATURES

- Rugged powder coated steel, low-profile frame w/fork lift channels
- Super efficient schedule 80 coil
- Stainless steel coil wrap, burner hood, and control panel
- On board 12 gallon poly diesel & gas (excludes GX390 models) fuel tanks w/fuel filters -Non-Carb Evaporative Compliant -Not for sale to California -See options below for California compliant upgrade
- Reliable Honda & Vanguard gasoline Commercial/Industrialelectric start engines
- Includes full size 12 volt battery and marine battery box
- Fully self-contained, no external power required
- Choice of reliable AR, Cat and General pumps
- Reliable Beckett burners
- Adjustable thermostat
- 3VX belt system offers balanced power transfer
- Engine and pump oil drains offer easy maintenance
- Safety pressure relief valve

NOTE: 12V units include 20amp charging system. 115V units include 2900watt generator.

GAS ENGINE 12V V-BELTDRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	Price
TR6012PRO-35HG	5.5	3500	GX630 Honda	HP	----
TR7012PRO-40HA	7.0	4000	GX690 Honda	AR	----
TR8012PRO-35HG	8.0	3500	GX690 Honda	GP	----

PRO-SUPER SKID TOW-PRO TRAILERS

**READY TO
WORK!**



TR6012PRO-35HG

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA

(504) 888-8989 | 800-992-7448

AVAILABLE OPTIONS

ESK016 Exhaust Stack Kit, Fits 16" Coil.

KTF200 Float valve kit.

KAV001-I Air blowout valve/winterizing kit.

LWS100 Low water shut-down.

TRL-BRK Electric brakes installed. List consult factory

TRL-BBAK Electric brakes & breakaway installed.

TLK100 Trailer Leveling Kit.

P9000S: Wheel/Tire fits all Tow-Pro Trailers.

CCK015 California compliant Carbon Canister Kit for 12 gallon fuel tank.

GAS ENGINE 115V V-BELTDRIVE TRAILER MODELS (Without Hose)

Part#	GPM	PSI	Model/Brand	Pump	Price
TR6115PRO-35HG	5.5	3500	GX630 Honda	HP	----
TR6115PRO-40HG	5.5	4000	GX690 Honda	GP	----
TR8115PRO-30HG	8.0	3000	GX690 Honda	GP	----

HOSE OPTIONS

Part#	PSI	Diameter/Length	Color	Price
AHS235	4000	3/8" X 100'	Black W/Qc's	----
AHS240	4000	3/8" X 150'	Black W/Qc's	----
AHS245	4000	3/8" X 200'	Black W/Qc's	----
AHS285	4000	3/8" X 100'	Gray W/Qc's	----
AHS290	4000	3/8" X 150'	Gray W/Qc's	----
AHS295	4000	3/8" X 200'	Gray W/Qc's	----
AHS335	6000	3/8" X 100'	Black W/Qc's	----
988VR-100	400	3/4" X 100'	Black HD Garden Hose	----

Add Trailer Model and Options to Calculate Complete Trailer Cost

HOT2GO TRAILERS AND WATER TANK PACKAGES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448

Choose the tank configuration that best suits your needs.
All systems include the following features:

- Hot/Cold/Steam power washer with all features of SK Series washers
 - 200 gallon capacity tank with inlet water filter strainer to protect pump from debris
 - Stainless steel inlet & high pressure hose reels, includes 50' high pressure & 100' inlet hose
- NOTE: For detailed machine specs and features refer to page 38 for SK Series additional info.

Single axle trailer:

- 3700 # rated torsion axles for smooth ride
- Flip up locking wheeled jack
- Heavy duty steel fenders and recessed lights



T185SKH
SK30005VH

SINGLE AXLE TRAILER MODELS

Part#	GPM	PSI	CC	Engine	Price
T185SKH/SK40004HH	3.5	4000	389	GX390 Honda	----
T185SKH/SK30005VH	5.0	3000	479	Vanguard	----
T185SKH/SK40005VH	4.8	4000	570	Vanguard	----

Machine shown with optional black frame.



T185TWH
SK30005VH

Easily mounts into your truck or existing flatbed trailer with 4 bolts.

TANK SKID MODELS

Part#	GPM	PSI	CC	Engine	Price
T185TWH/SK40004HH	3.5	4000	389	GX390 Honda	----
T185TWH/SK30005VH	5.0	3000	479	Vanguard	----
T185TWH/SK40005VH	4.8	4000	570	Vanguard	----

Ideal for schools, malls, shopping centers, hospitals and other large facilities.

- Flip up handle automatically locks the wheels for safe and compact storage
- Pivoting front axle allows for easy maneuverability
- No weight on the tongue allows it to be pulled with a Utility Vehicle
- Transporter is intended to be used and stored on site, not for public roads.

TOW & STOW™ WASH CART MODELS

Part#	GPM	PSI	CC	Engine	Price
TSKDT/T185TWH/ SK40004HH	3.5	4000	389	GX390 Honda	----
TSKDT/T185TWH/ SK30005VH	5.0	3000	479	Vanguard	----
TSKDT/T185TWH/ SK40005VH	4.8	4000	570	Vanguard	----



TSKDT
T185TWH
SK40005VH

HOT LINK HOT WATER GENERATOR

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



CPHL5DC

STANDARD FEATURES

- Use with your cold water pressure washer
- 100– 4350 psi
- 1-5 gpm
- Includes 48" jumper hose
- 3 gallon diesel fuel tank
- Adjustable temp up to 200°F
- Stainless steel insulated coil enclosure
- Redundant safety features include flow switch, pressure relief valve, and burst disc
- Compact Dimensions:
29"L x 22"W x 22"H

2 MODELS AVAILABLE

- 12v DC for remote use, hook to the battery on your pressure washer (requires 14 amp charging system)
- 115v includes 35' GFCI cord with plug. Plugs into any standard 15 amp outlet or 2000 watt generator

OPTIONAL ACCESSORIES

- Hot water rated, high pressure hose
- AHC25 4 wheel kit with handle for easy portability

Convert your existing cold water pressure washer into a hot water pressure washer. Do you already own a cold water pressure washer but wish it had hot water? Attach a Hot Link to your existing cold water pressure washer and you have the power of hot water to quickly melt away grease and grime. The Hot Link System allows you the flexibility of using hot water on those stubborn jobs such as grease, gum, or graffiti that require the impact of hot water to get the job done right. It will save you money by getting the job done faster, and you do not have to buy a new pressure washer if you already have a cold water system. Its compact size allows for easy storage when not in use and takes up little room on your truck or trailer. You can choose from two diesel heated models.

HOT LINK HOT WATER GENERATOR

Part#	Voltage/Fuel	GPM	PSI	Price
CPHL5DC	12 VDC Diesel	3.5	4350	----
CPHL5E1	115 VAC Diesel	5.0	4350	----

HOT SHOT SERIES

AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



HBS12V40



HBS12V60



HBS115-80

HOT BOX STATIONARY MODELS

Part#	Voltage/Fuel	GPM	PSI	Dimensions	Price
HBS12V40	12 VDC Diesel	4.0	4000	28"L x 18"W x 41"H	----
HBS12V60	12 VDC Diesel	6.0	4000	28"L x 18"W x 46"H	----
HBS12V80	12 VDC Diesel	8.0	4000	32"L x 21"W x 49"H	----
HBS115-30	115 VAC Diesel	3.0	4000	28"L x 18"W x 36"H	----
HBS115-40	115 VAC Diesel	4.0	4000	28"L x 18"W x 41"H	----
HBS115-60	115 VAC Diesel	6.0	4000	28"L x 18"W x 46"H	----
HBS115-80	115 VAC Diesel	8.0	4000	32"L x 21"W x 49"H	----

* Auto Ignition

STANDARD FEATURES

- Rugged powder coated steel frame
- Super efficient schedule 80 coil
- Stainless steel coil wrap
- Vertical diesel models include 8 gallon poly diesel fuel tank with fuel filter; horizontal models include 12 gallon poly diesel fuel tank with fuel filter
- Reliable Beckett burners
- LP models include regulator
- Adjustable thermostat temperature control
- Safety pressure relief valve
- 35' cord with GFCI on 115& 120 volt models
- 13" flat free tires on 4 wheel models

HYDRO VACUUM® WASTEWATER & FLOOD RECOVERY VACUUMS

The RGV Gas Vac is an engine powered, water recovery system with pump out. It can be used with either one or two separate pickup devices and is ideal for facilities maintenance contractors who need to collect wash water or for restoration contractors who need to pick up water after a fire or flood.

The unique polyethylene separation tanks are non-corrosive, weigh significantly less than 50 gallon steel drums, and have access to the inside for periodic cleaning & maintenance with a quick lift-off lid. Open the large 1½" valve to purge sludge/solids that settle at the bottom. Each separation tank has an automatic transfer system which pumps the water out to your bulk tank, landscape, or sanitary sewer where permitted, no heavy tipping to dump your tanks.

(For use with cold water or hot water up to 200°F)

**READY TO
WORK!**



AUTHORIZE DEALER:

Pressure Zone

2813 Richland Ave. Metairie, LA
(504) 888-8989 | 800-992-7448



Transfer pump plug



Air throttle valve

RGV40: GAS ENGINE DRIVE VACUUM RECOVERY SYSTEM

PART#	DESCRIPTION	WT
RGV40V12*	25 gpm, 425 CFM, 14"Hg, 190" Lift, 627cc Vanguard Elec. Start	535
RGV40H12*	25 gpm, 425 CFM, 14"Hg, 190" Lift, GX630 Honda Elec. Start	535

Features

- Vacuum and pump out simultaneously and automatically, no loss of suction or lost time dumping tanks
- 12v Transfer pumps require no outside power, completely self contained
- Recovers up to 25gpm, use up to 350' total hose length – Use with one or two pickup devices
- Air throttling system allows you to independently control the suction for precise control over pickup devices when using varying lengths of hose
- 2 qty. 26 gallon lightweight non-corrosive polyethylene hexagonal separation tanks w/ 1.5" sludge/solids drain & removable Stainless Steel lids
- Easy 1 plug connection for transfer pump power and high water level shutdown
- Debris filters protect pumps and blower motor
- Large 8 gallon fuel tank integrated into frame base while keeping a small footprint
- Requires 2" diameter vacuum hose (350' max.) and 2" diameter discharge hose (100' max.)
- Optional: your choice of vacuum berms, recovery surface cleaners, vacuum accessories, see pages 70, 74 & 75
- Main Unit Dimensions & Weight: 44"L x 26"W x 34"H, 425 lbs., Vacuum Tanks: 25"L x 20"W x 36"H, 54 lbs. each

*NOTE: Max hose length 350', vacuum & discharge hose not included, see Vacuum Options & Accessories Pages 74 & 75, 650cca24 Group Battery required (not included).

RGV GAS ENGINE VACUUM RECOVERY OPTION

PART#	DESCRIPTION	WT
ATP36	Solids/Sand Separation Tank	62



Using vacuum tools such as a vacuum arch ATP40 or a Twister Vacuum ANTV5 will increase your efficiency



ATP36

For additional vacuum accessories, see page 74 in our [Parts & Accessories](#) catalog or call Pressure Zone.


(504) 889-8989 | 800-992-7448

DID YOU KNOW?

Did you know that we offer parts & accessories to maintain your pressure washer?

Our stock includes: pumps, guns, hoses, nozzles, injectors, fittings, float valves, fuel tanks, filters, burner parts, pulleys, belts and more.










For more information, visit www.PressureZone.com or click the image below.

 **Nilfisk**
Nilfisk HPW -HIGH PRESSURE WASHERS

Effective March 1, 2019

HPW PARTS & ACCESSORIES

CATALOG & PRICE LIST

Plumbing Kits/Pumps/Unloaders		Float Valves/Fuel Tanks/Engine Parts	
Guns/Hoses/Nozzles/QC		Burner Parts/Engines/Motors	
Injectors/Chemicals/Fittings		Pulleys/Belts	
Carts and More...			 <p>We carry wastewater & flood recovery vacuums. See pg. 72</p>

Pressure Zone
2813 Richland Ave. | Metairie, LA 70002
(504) 888-8989 | 800-992-7448
www.PressureZone.com



7300 Commercial Circle, Fort Pierce, Florida 34951

Serving Your Pressure Washer Needs Coast to Coast

Your Pressure-Pro, Inc. Dealer/Distributor



PRESSURE ZONE

A JOHN - HENRY COMPANY



PRESSURE ZONE

2813 Richland Ave. Metairie, LA 70002

(504) 889-8989 | 800-992-7448



pressurezone.com



[@pressurezonenola](https://www.facebook.com/pressurezonenola)



[@pressurezonenola](https://www.instagram.com/pressurezonenola)